

Библиография к Тематическому выпуску 1/2013 «Терапия шизофрении»

- Abbasi SH, Behpournia H, Ghosh A, Salehi B, Raznahan M, Rezazadeh SA, et al. 2010. The effect of mirtazapine add on therapy to risperidone in the treatment of schizophrenia: a double-blind randomized placebo-controlled trial. *Schizophr Res* 116:101–106.
- Adams CE, Awad G, Rathbone J, Thornley B. 2007. Chlorpromazine versus placebo for schizophrenia. *Cochrane Database Syst Rev*: CD000284.
- Addington DE, Pantelis C, Dineen M, Benattia I, Romano SJ. 2004. Efficacy and tolerability of ziprasidone versus risperidone in patients with acute exacerbation of schizophrenia or schizoaffective disorder: an 8-week, double-blind, multicenter trial. *J Clin Psychiatry* 65:1624–1633.
- Adityanjee, Aderibigbe YA, Mathews T. 1999. Epidemiology of neuroleptic malignant syndrome. *Clin Neuropharmacol* 22:151–158.
- Afshar H, Roohafza H, Mousavi G, Golchin S, Toghianifar N, Sadeghi M, et al. 2009. Topiramate add-on treatment in schizophrenia: a randomised, double-blind, placebo-controlled clinical trial. *J Psychopharmacol* 23:157–162.
- Aggarwal NK, Sernyak MJ, Rosenheck RA. 2012. Prevalence of concomitant oral antipsychotic drug use among patients treated with long-acting, intramuscular, antipsychotic medications. *J Clin Psychopharmacol* 32:323–328.
- Aizenberg D, Zemishlany Z, Dorfman-Etrog P, Weizman A. 1995. Sexual dysfunction in male schizophrenic patients. *J Clin Psychiatry* 56:137–141.
- Akdede BB, Anil Yagcioglu AE, Alptekin K, Turgut TI, Tumuklu M, Yazici MK, et al. 2006. A double-blind study of combination of clozapine with risperidone in patients with schizophrenia: effects on cognition. *J Clin Psychiatry* 67:1912–1919.
- Akter K, Gallo DA, Martin SA, Myronyuk N, Roberts RT, Stercova K, et al. 2012. A review of the possible role of the essential fatty acids and fish oils in the aetiology, prevention or pharmacotherapy of schizophrenia. *J Clin Pharm Ther* 37:132–139.
- Al-Khatib SM, LaPointe NM, Kramer JM, Califf RM. 2003. What clinicians should know about the QT interval. *J Am Med Assoc* 289: 2120–2127.
- Aleman A, Sommer IE, Kahn RS. 2007. Efficacy of slow repetitive transcranial magnetic stimulation in the treatment of resistant auditory hallucinations in schizophrenia: a meta-analysis. *J Clin Psychiatry* 68:416–421.
- Allen MH, Feifel D, Lesem MD, Zimbardo DL, Ross R, Munzar P, et al. 2011. Efficacy and safety of loxapine for inhalation in the treatment of agitation in patients with schizophrenia: a randomized, double-blind, placebo-controlled trial. *J Clin Psychiatry* 72:1313–1321.
- Alper K, Schwartz KA, Kolts RL, Khan A. 2007. Seizure incidence in psychopharmacological clinical trials: an analysis of Food and Drug Administration (FDA) summary basis of approval reports. *Biol Psychiatry* 62:345–354.
- Alphs L, Panagides J, Lancaster S. 2007. Asenapine in the treatment of negative symptoms of schizophrenia: clinical trial design and rationale. *Psychopharmacol Bull* 40:41–53.
- Altamura AC, Mauri MC, Mantero M, Brunetti M. 1987. Clonazepam/haloperidol combination therapy in schizophrenia: a double blind study. *Acta Psychiatr Scand* 76:702–706.
- Altamura AC, Velonj I, Curreli R, Mundo E, Bravi D. 2002. Is olanzapine better than haloperidol in resistant schizophrenia? A double-blind study in partial responders. *Int J Psychiatry Clin Pract* 6:107–111.
- Alvarez E, Bobes J, Gomez JC, Sacristan JA, Canas F, Carrasco JL, et al. 2003. Safety of olanzapine versus conventional antipsychotics in the treatment of patients with acute schizophrenia. A naturalistic study. *Eur Neuropsychopharmacol* 13:39–48.
- Alvarez E, Ciudad A, Olivares JM, Bousono M, Gomez JC. 2006. A randomized, 1-year follow-up study of olanzapine and risperidone in the treatment of negative symptoms in outpatients with schizophrenia. *J Clin Psychopharmacol* 26:238–249.
- Amann BL, Pogarell O, Mergl R, Juckel G, Grunze H, Mulert C, et al. 2003. EEG abnormalities associated with antipsychotics: a comparison of quetiapine, olanzapine, haloperidol and healthy subjects. *Hum Psychopharmacol* 18:641–646.
- Andersen R, Fagerlund B, Rasmussen H, Ebdrup BH, Aggermaes B, Gade A, et al. 2011. Cognitive effects of six months of treatment with quetiapine in antipsychotic-naïve first-episode schizophrenia. *Psychiatry Res* 187:49–54.
- Andrezina R, Josiassen RC, Marcus RN, Oren DA, Manos G, Stock E, et al. 2006a. Intramuscular aripiprazole for the treatment of acute agitation in patients with schizophrenia or schizoaffective disorder: a double-blind, placebo-controlled comparison with intramuscular haloperidol. *Psychopharmacology (Berlin)* 188:281–292.

- Andrezina R, Marcus RN, Oren DA, Manos G, Stock E, Carson WH, et al. 2006b. Intramuscular aripiprazole or haloperidol and transition to oral therapy in patients with agitation associated with schizophrenia: sub-analysis of a double-blind study. *Curr Med Res Opin* 22:2209–2219.
- Angermeyer MC. 2000. *Acta Psychiatr Scand Suppl.* 2000; 407:63–7.
- Anil Yagcioglu AE, Kivircik Akdede BB, Turgut TI, Tumuklu M, Yazici MK, Alptekin K, et al. 2005. A double-blind controlled study of adjunctive treatment with risperidone in schizophrenic patients partially responsive to clozapine: efficacy and safety. *J Clin Psychiatry* 66:63–72.
- APA. 1997. Practice guideline for the treatment of patients with schizophrenia. *Am J Psychiatry* 154:1–63.
- APA. 2004. Consensus development conference on antipsychotic drugs and obesity and diabetes. *J Clin Psychiatry* 65: 267–272.
- Arango C, Bernardo M. 2005. The effect of quetiapine on aggression and hostility in patients with schizophrenia. *Hum Psychopharmacol* 20:237–241.
- Arato M, O'Connor R, Meltzer HY. 2002. A 1-year, double-blind, placebo-controlled trial of ziprasidone 40, 80 and 160 mg/day in chronic schizophrenia: the Ziprasidone Extended Use in Schizophrenia (ZEUS) study. *Int Clin Psychopharmacol* 17:207–215.
- Arvanitis LA, Miller BG. 1997. Multiple fixed doses of "Seroquel" (quetiapine) in patients with acute exacerbation of schizophrenia: a comparison with haloperidol and placebo. The Seroquel Trial 13 Study Group. *Biol Psychiatry* 42:233–246.
- Asenjo Lobos C, Komossa K, Rummel-Kluge C, Hunger H, Schmid F, Schwarz S, et al. 2010. Clozapine versus other atypical antipsychotics for schizophrenia. *Cochrane Database Syst Rev*: CD006633.
- Assion HJ, Reinbold H, Lemanski S, Basilowski M, Juckel G. 2008. Amisulpride augmentation in patients with schizophrenia partially responsive or unresponsive to clozapine. A randomized, double-blind, placebo-controlled trial. *Pharmacopsychiatry* 41:24–28.
- Azorin JM, Kaladjian A, Fakra E, Adida M. 2010. Sertindole for the treatment of schizophrenia. *Expert Opin Pharmacother* 11:3053–3064.
- Azorin JM, Spiegel R, Remington G, Vanelle JM, Pere JJ, Giguere M, et al. 2001. A double-blind comparative study of clozapine and risperidone in the management of severe chronic schizophrenia. *Am J Psychiatry* 158:1305–1313.
- Azorin JM, Strub N, Loft H. 2006. A double-blind, controlled study of sertindole versus risperidone in the treatment of moderate-to-severe schizophrenia. *Int Clin Psychopharmacol* 21:49–56.
- Baandrup L, Gasse C, Jensen VD, Glenthoj BY, Nordentoft M, Lublin H, et al. 2010. Antipsychotic polypharmacy and risk of death from natural causes in patients with schizophrenia: a population-based nested case-control study. *J Clin Psychiatry* 71:103–108.
- Bandelow B, Zohar J, Hollander E, Kasper S, Moller HJ, Allgulander C, et al. 2008a. World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the pharmacological treatment of anxiety, obsessive-compulsive and post-traumatic stress disorders – first revision. *World J Biol Psychiatry* 9: 248–312.
- Bandelow B, Zohar J, Kasper S, Moller HJ. 2008b. How to grade categories of evidence. *World J Biol Psychiatry* 9:242–247. Barnes C, Stuppach CH, Miller C, Haring C, Sperner-Unterwieser B, Fleischhacker WW. 1992. Zotepine in the treatment of schizophrenic patients with prevalently negative symptoms. A double-blind trial vs. haloperidol. *Int Clin Psychopharmacol* 7:23–27.
- Barnes TR, Paton C. 2011. Antipsychotic polypharmacy in schizophrenia: benefits and risks. *CNS Drugs* 25:383–399.
- Battaglia J, Moss S, Rush J, Kang J, Mendoza R, Leedom L, et al. 1997. Haloperidol, lorazepam, or both for psychotic agitation? A multicenter, prospective, double-blind, emergency department study. *Am J Emerg Med* 15:335–340.
- Beasley CM Jr, Sanger T, Satterlee W, Tollefson G, Tran P, Hamilton S. 1996a. Olanzapine versus placebo: results of a double-blind, fixed-dose olanzapine trial. *Psychopharmacology (Berlin)* 124:159–167.
- Beasley CM Jr, Tollefson G, Tran P, Satterlee W, Sanger T, Hamilton S. 1996b. Olanzapine versus placebo and haloperidol: acute phase results of the North American double-blind olanzapine trial. *Neuropsychopharmacology* 14:111–123.
- Beasley CM Jr, Tollefson GD, Tran PV. 1997. Efficacy of olanzapine: an overview of pivotal clinical trials. *J Clin Psychiatry* 58(Suppl 10):7–12.
- Bech P, Tanghøj P, Andreasson K, Overo KF. 2010. Dose-response relationship of sertindole and haloperidol using the pharmacopsychometric triangle. *Acta Psychiatr Scand* 123:154–161.
- Behdani F, Hebrani P, Rezaei Ardani A, Rafee E. 2011. Effect of topiramate augmentation in chronic schizophrenia: a placebo-controlled trial. *Arch Iran Med* 14:270–275.

- Belgamwar RB, Fenton M. 2005. Olanzapine IM or velotab for acutely disturbed/agitated people with suspected serious mental illnesses. *Cochrane Database Syst Rev*: CD003729.
- Berk M, Gama CS, Sundram S, Hustig H, Koopowitz L, D'Souza R, et al. 2009. Mirtazapine add-on therapy in the treatment of schizophrenia with atypical antipsychotics: a double-blind, randomised, placebo-controlled clinical trial. *Hum Psychopharmacol* 24:233–238.
- Berk M, Ichim C, Brook S. 2001. Efficacy of mirtazapine add on therapy to haloperidol in the treatment of the negative symptoms of schizophrenia: a double-blind randomized placebo-controlled study. *Int Clin Psychopharmacol* 16:87–92.
- Bhattacharjee J, El-Sayeh HG. 2008. Aripiprazole versus typicals for schizophrenia. *Cochrane Database Syst Rev*: CD006617.
- Bhowmick S, Hazra A, Ghosh M. 2010. Amisulpride versus olanzapine in the treatment of schizophrenia in Indian patients: randomized controlled trial. *Aust NZ J Psychiatry* 44:237–242.
- Bieniek SA, Ownby RL, Penalver A, Dominguez RA. 1998. A double-blind study of lorazepam versus the combination of haloperidol and lorazepam in managing agitation. *Pharmacotherapy* 18:57–62.
- Bilder RM, Goldman RS, Volavka J, Czobor P, Hoptman M, Sheitman B, et al. 2002. Neurocognitive effects of clozapine, olanzapine, risperidone, and haloperidol in patients with chronic schizophrenia or schizoaffective disorder. *Am J Psychiatry* 159:1018–1028.
- Bitter I, Dossenbach MR, Brook S, Feldman PD, Metcalfe S, Gagiano CA, et al. 2004. Olanzapine versus clozapine in treatment-resistant or treatment-intolerant schizophrenia. *Prog Neuropsychopharmacol Biol Psychiatry* 28:173–180.
- Blin O, Azorin JM, Bouhours P. 1996. Antipsychotic and anxiolytic properties of risperidone, haloperidol, and methotrimeprazine in schizophrenic patients. *J Clin Psychopharmacol* 16:38–44.
- Bobes J, Gibert J, Ciudad A, Alvarez E, Canas F, Carrasco JL, et al. 2003. Safety and effectiveness of olanzapine versus conventional antipsychotics in the acute treatment of first-episode schizophrenic inpatients. *Prog Neuropsychopharmacol Biol Psychiatry* 27:473–481.
- Bondolfi G, Dufour H, Patris M, May JP, Billeter U, Eap CB, et al. 1998. Risperidone versus clozapine in treatment-resistant chronic schizophrenia: a randomized double-blind study. The Risperidone Study Group. *Am J Psychiatry* 155:499–504.
- Borison RL, Arvanitis LA, Miller BG. 1996. ICI 204,636, an atypical antipsychotic: efficacy and safety in a multicenter, placebo-controlled trial in patients with schizophrenia. U.S. SEROQUEL Study Group. *J Clin Psychopharmacol* 16: 158–169.
- Borison RL, Pathiraja AP, Diamond BI, Meibach RC. 1992. Risperidone: clinical safety and efficacy in schizophrenia. *Psychopharmacol Bull* 28:213–218.
- Boyer P, Lecrubier Y, Puech AJ, Dewailly J, Aubin F. 1995. Treatment of negative symptoms in schizophrenia with amisulpride. *Br J Psychiatry* 166:68–72.
- Bradford DW, Perkins DO, Lieberman JA. 2003. Pharmacological management of first-episode schizophrenia and related nonaffective psychoses. *Drugs* 63:2265–2283.
- Breier A, Buchanan RW, Kirkpatrick B, Davis OR, Irish D, Summerfelt A, et al. 1994. Effects of clozapine on positive and negative symptoms in outpatients with schizophrenia. *Am J Psychiatry* 151:20–26.
- Breier A, Hamilton SH. 1999. Comparative efficacy of olanzapine and haloperidol for patients with treatment-resistant schizophrenia. *Biol Psychiatry* 45:403–411.
- Breier A, Meehan K, Birkett M, David S, Ferchland I, Sutton V, et al. 2002. A double-blind, placebo-controlled dose-response comparison of intramuscular olanzapine and haloperidol in the treatment of acute agitation in schizophrenia. *Arch Gen Psychiatry* 59:441–448.
- Breier AF, Malhotra AK, Su TP, Pinals DA, Elman I, Adler CM, et al. 1999. Clozapine and risperidone in chronic schizophrenia: effects on symptoms, parkinsonian side effects, and neuroendocrine response. *Am J Psychiatry* 156:294–298.
- Brenner HD, Dencker SJ, Goldstein MJ, Hubbard JW, Keegan DL, Kruger G, et al. 1990. Defining treatment refractoriness in schizophrenia. *Schizophr Bull* 16:551–561.
- Bret P, Bret MC, Queuille E. 2009. [Prescribing patterns of antipsychotics in 13 French psychiatric hospitals]. *Encephale* 35:129–138.
- Broekema WJ, de Groot IW, van Harten PN. 2007. Simultaneous prescribing of atypical antipsychotics, conventional antipsychotics and anticholinergics – a European study. *Pharm World Sci* 29:126–130.
- Brook S, Lucey JV, Gunn KP. 2000. Intramuscular ziprasidone compared with intramuscular haloperidol in the treatment of acute psychosis. Ziprasidone I.M. Study Group. *J Clin Psychiatry* 61:933–941.

- Brook S, Walden J, Benattia I, Siu CO, Romano SJ. 2005. Ziprasidone and haloperidol in the treatment of acute exacerbation of schizophrenia and schizoaffective disorder: comparison of intramuscular and oral formulations in a 6-week, randomized, blinded-assessment study. *Psychopharmacology (Berlin)* 178:514–523.
- Buchanan RW. 1995. Clozapine: efficacy and safety. *Schizophr Bull* 21:579–591.
- Buchanan RW, Ball MP, Weiner E, Kirkpatrick B, Gold JM, McMahon RP, et al. 2005. Olanzapine treatment of residual positive and negative symptoms. *Am J Psychiatry* 162:124–129.
- Buchanan RW, Breier A, Kirkpatrick B, Ball P, Carpenter WT, Jr. 1998. Positive and negative symptom response to clozapine in schizophrenic patients with and without the deficit syndrome. *Am J Psychiatry* 155:751–760.
- Buchanan RW, Kreyenbuhl J, Kelly DL, Noel JM, Boggs DL, Fischer BA, et al. 2010. The 2009 schizophrenia PORT psychopharmacological treatment recommendations and summary statements. *Schizophr Bull* 36:71–93.
- Burns MJ. 2001. The pharmacology and toxicology of atypical antipsychotic agents. *J Toxicol Clin Toxicol* 39:1–14.
- Burns T, Bale R. 2001. Clinical advantages of amisulpride in the treatment of acute schizophrenia. *J Int Med Res* 29:451–466.
- Bushe C, Holt R. 2004. Prevalence of diabetes and impaired glucose tolerance in patients with schizophrenia. *Br J Psychiatry Suppl* 47:S67–71.
- Camm AJ, Karayal ON, Meltzer H, Kolluri S, O’Gorman C, Miceli J, et al. 2012. Ziprasidone and the corrected QT interval: a comprehensive summary of clinical data. *CNS Drugs* 26:351–365.
- Canive JM, Miller GA, Irwin JG, Moses SN, Thoma RJ, Edgar JC, et al. 2006. Efficacy of olanzapine and risperidone in schizophrenia: a randomized double-blind crossover design. *Psychopharmacol Bull* 39:105–116.
- Canuso CM, Bossie CA, Turkoz I, Alphas L. 2009a. Paliperidone extended-release for schizophrenia: effects on symptoms and functioning in acutely ill patients with negative symptoms. *Schizophr Res* 113:56–64.
- Canuso CM, Dirks B, Carothers J, Kosik-Gonzalez C, Bossie CA, Zhu Y, et al. 2009b. Randomized, double-blind, placebo-controlled study of paliperidone extended-release and quetiapine in inpatients with recently exacerbated schizophrenia. *Am J Psychiatry* 166:691–701.
- Carman J, Peuskens J, Vangeneugden A. 1995. Risperidone in the treatment of negative symptoms of schizophrenia: a meta-analysis. *Int Clin Psychopharmacol* 10:207–213.
- Carpenter WT Jr, Heinrichs DW, Alphas LD. 1985. Treatment of negative symptoms. *Schizophr Bull* 11:440–452.
- Carrasco JL, Gutierrez M, Gomez JC, Escobar R, Alvarez E, Canas F, et al. 2002. Treatment of severely psychotic inpatients with schizophrenia: olanzapine versus other antipsychotic drugs. *Int Clin Psychopharmacol* 17:287–295.
- Carriere P, Bonhomme D, Lemperiere T. 2000. Amisulpride has a superior benefit/risk profile to haloperidol in schizophrenia: results of a multicentre, double-blind study (the Amisulpride Study Group). *Eur Psychiatry* 15:321–329.
- Casey DE, Daniel DG, Tamminga C, Kane JM, Tran-Johnson T, Wozniak P, et al. 2009. Divalproex ER combined with olanzapine or risperidone for treatment of acute exacerbations of schizophrenia. *Neuropsychopharmacology* 34:1330–1338.
- Casey DE, Daniel DG, Wassef AA, Tracy KA, Wozniak P, Somerville KW. 2003. Effect of divalproex combined with olanzapine or risperidone in patients with an acute exacerbation of schizophrenia. *Neuropsychopharmacology* 28:182–192.
- Casey DE, Zorn SH. 2001. The pharmacology of weight gain with antipsychotics. *J Clin Psychiatry* 62(Suppl 7):4–10.
- Cassens G, Inglis AK, Appelbaum PS, Gutheil TG. 1990. Neuroleptics: effects on neuropsychological function in chronic schizophrenic patients. *Schizophr Bull* 16:477–499.
- Castle DJ, Udristoiu T, Kim CY, Sarosi A, Pidman V, Omar AN, et al. 2009. Intramuscular olanzapine versus short-acting typical intramuscular antipsychotics: comparison of real-life effectiveness in the treatment of agitation. *World J Biol Psychiatry* 10:43–53.
- Celano CM, Freudenreich O, Fernandez-Robles C, Stern TA, Caro MA, Huffman JC. 2011. Depressogenic effects of medications: a review. *Dialogues Clin Neurosci* 13:109–125.
- Centorrino F, Meyers AL, Ahl J, Cincotta SL, Zun L, Gulliver AH, et al. 2007. An observational study of the effectiveness and safety of intramuscular olanzapine in the treatment of acute agitation in patients with bipolar mania or schizophrenia/schizoaffective disorder. *Hum Psychopharmacol* 22:455–462.
- Ceskova E, Svestka J. 1993. Double-blind comparison of risperidone and haloperidol in schizophrenic and schizoaffective psychoses. *Pharmacopsychiatry* 26:121–124.

- Chakos M, Lieberman J, Hoffman E, Bradford D, Sheitman B. 2001. Effectiveness of second-generation antipsychotics in patients with treatment-resistant schizophrenia: a review and meta-analysis of randomized trials. *Am J Psychiatry* 158:518–526.
- Chakos M, Patel JK, Rosenheck R, Glick ID, Hammer MB, Tapp A, et al. 2011. Concomitant psychotropic medication use during treatment of schizophrenia patients: longitudinal results from the CATIE study. *Clin Schizophr Relat Psychoses* 5: 124–134.
- Chan J, Sweeting M. 2007. Review: Combination therapy with non-clozapine atypical antipsychotic medication: a review of current evidence. *J Psychopharmacol* 21:657–664.
- Chandrasena R, Dvorakova D, Lee SI, Loza N, Mosolov SN, Osvath P, et al. 2009. Intramuscular olanzapine vs. intramuscular short-acting antipsychotics: safety, tolerability and the switch to oral antipsychotic medication in patients with schizophrenia or acute mania. *Int J Clin Pract* 63:1249–1258.
- Chang JS, Ahn YM, Park HJ, Lee KY, Kim SH, Kang UG, et al. 2008. Aripiprazole augmentation in clozapine-treated patients with refractory schizophrenia: an 8-week, randomized, double-blind, placebo-controlled trial. *J Clin Psychiatry* 69:720–731.
- Chanpattana W, Chakrabhand ML, Sackeim HA, Kitaroonchai W, Kongsakon R, Techakasem P, et al. 1999. Continuation ECT in treatment-resistant schizophrenia: a controlled study. *J ECT* 15:178–192.
- Chiu E, Burrows G, Stevenson J. 1976. Double-blind comparison of clozapine with chlorpromazine in acute schizophrenic illness. *Aust NZ J Psychiatry* 10:343–347.
- Chiu NY, Yang YK, Chen PS, Chang CC, Lee IH, Lee JR. 2003. Olanzapine in Chinese treatment-resistant patients with schizophrenia: an open-label, prospective trial. *Psychiatry Clin Neurosci* 57:478–484.
- Cho SJ, Yook K, Kim B, Choi TK, Lee KS, Kim YW, et al. 2011. Mirtazapine augmentation enhances cognitive and reduces negative symptoms in schizophrenia patients treated with risperidone: a randomized controlled trial. *Prog Neuropsychopharmacol Biol Psychiatry* 35:208–211.
- Chouinard G, Jones B, Remington G, Bloom D, Addington D, MacEwan GW, et al. 1993. A Canadian multicenter placebo-controlled study of fixed doses of risperidone and haloperidol in the treatment of chronic schizophrenic patients. *J Clin Psychopharmacol* 13:25–40.
- Chzranowski WK, Marcus RN, Torbeyns A, Nyilas M, McQuade RD. 2006. Effectiveness of long-term aripiprazole therapy in patients with acutely relapsing or chronic, stable schizophrenia: a 52-week, open-label comparison with olanzapine. *Psychopharmacology (Berlin)* 189:259–266.
- Chua WL, de Izquierdo SA, Kulkarni J, Mortimer A. 2005. Estrogen for schizophrenia. *Cochrane Database Syst Rev*: CD004719.
- Cipriani A, Boso M, Barbui C. 2009. Clozapine combined with different antipsychotic drugs for treatment resistant schizophrenia. *Cochrane Database Syst Rev*: CD006324.
- Citrome L. 2007. Comparison of intramuscular ziprasidone, olanzapine, or aripiprazole for agitation: a quantitative review of efficacy and safety. *J Clin Psychiatry* 68:1876–85.
- Citrome L. 2009. Iloperidone for schizophrenia: a review of the efficacy and safety profile for this newly commercialised second-generation antipsychotic. *Int J Clin Pract* 63:1237–1248.
- Citrome L. 2011. Aerosolised antipsychotic assuages agitation: inhaled loxapine for agitation associated with schizophrenia or bipolar disorder. *Int J Clin Pract* 65:330–340.
- Citrome L. 2012. Inhaled loxapine for agitation revisited: focus on effect sizes from 2 Phase III randomised controlled trials in persons with schizophrenia or bipolar disorder. *Int J Clin Pract* 66:318–325.
- Citrome L, Casey DE, Daniel DG, Wozniak P, Kochan LD, Tracy KA. 2004. Adjunctive divalproex and hostility among patients with schizophrenia receiving olanzapine or risperidone. *Psychiatr Serv* 55:290–294.
- Citrome L, Shope CB, Nolan KA, Czobor P, Volavka J. 2007. Risperidone alone versus risperidone plus valproate in the treatment of patients with schizophrenia and hostility. *Int Clin Psychopharmacol* 22:356–362.
- Citrome L, Volavka J, Czobor P, Brook S, Loebel A, Mandel FS. 2006. Efficacy of ziprasidone against hostility in schizophrenia: Post hoc analysis of randomized, open-label study data. *J Clin Psychiatry* 67:638–642.
- Ciudad A, Gutierrez M, Canas F, Gibert J, Gascon J, Carrasco JL, et al. 2005. Safety and effectiveness of olanzapine in monotherapy: a multivariate analysis of a naturalistic study. *Prog Neuropsychopharmacol Biol Psychiatry* 29:944–951.
- Clark RE, Bartels SJ, Mellman TA, Peacock WJ. 2002. Recent trends in antipsychotic combination therapy of schizophrenia and schizoaffective disorder: implications for state mental health policy. *Schizophr Bull* 28:75–84.

- Claus A, Bollen J, De Cuyper H, Eneman M, Malfroid M, Peuskens J, et al. 1992. Risperidone versus haloperidol in the treatment of chronic schizophrenic inpatients: a multicentre double-blind comparative study. *Acta Psychiatr Scand* 85:295–305.
- Colonna L, Saleem P, Dondey-Nouvel L, Rein W. 2000. Long-term safety and efficacy of amisulpride in subchronic or chronic schizophrenia. Amisulpride Study Group. *Int Clin Psychopharmacol* 15:13–22.
- Colton CW, Manderscheid RW. 2006. Congruencies in increased mortality rates, years of potential life lost, and causes of death among public mental health clients in eight states. *Prev Chronic Dis* 3:A42.
- Conley RR, Buchanan RW. 1997. Evaluation of treatment-resistant schizophrenia. *Schizophr Bull* 23:663–674.
- Conley RR, Kelly DL. 2001. Management of treatment resistance in schizophrenia. *Biol Psychiatry* 50:898–911.
- Conley RR, Kelly DL, Gale EA. 1998. Olanzapine response in treatment-refractory schizophrenic patients with a history of substance abuse. *Schizophr Res* 33:95–101.
- Conley RR, Kelly DL, Nelson MW, Richardson CM, Feldman S, Benham R, et al. 2005. Risperidone, quetiapine, and fluphenazine in the treatment of patients with therapy-refractory schizophrenia. *Clin Neuropharmacol* 28:163–168.
- Conley RR, Mahmoud R. 2001. A randomized double-blind study of risperidone and olanzapine in the treatment of schizophrenia or schizoaffective disorder. *Am J Psychiatry* 158: 765–774.
- Conn PJ, Lindsley CW, Jones CK. 2009. Activation of metabotropic glutamate receptors as a novel approach for the treatment of schizophrenia. *Trends Pharmacol Sci* 30:25–31.
- Cooper SJ, Butler A, Tweed J, Welch C, Raniwalla J. 2000a. Zotepine in the prevention of recurrence: a randomised, double-blind, placebo-controlled study for chronic schizophrenia. *Psychopharmacology (Berlin)* 150:237–243.
- Cooper SJ, Tweed J, Raniwalla J, Butler A, Welch C. 2000b. A placebo-controlled comparison of zotepine versus chlorpromazine in patients with acute exacerbation of schizophrenia. *Acta Psychiatr Scand* 101:218–225.
- Copolov DL, Link CG, Kowalczyk B. 2000. A multicentre, double-blind, randomized comparison of quetiapine (ICI 204,636, 'Seroquel') and haloperidol in schizophrenia. *Psychol Med* 30:95–105.
- Cordes J, Falkai P, Guse B, Hasan A, Schneider-Axmann T, Arends M, et al. 2009. Repetitive transcranial magnetic stimulation for the treatment of negative symptoms in residual schizophrenia: rationale and design of a sham-controlled, randomized multicenter study. *Eur Arch Psychiatry Clin Neurosci* 259(Suppl 2):S189–197.
- Correll CU, Leucht S, Kane JM. 2004. Lower risk for tardive dyskinesia associated with second-generation antipsychotics: a systematic review of 1-year studies. *Am J Psychiatry* 161: 414–425.
- Correll CU, Rummel-Kluge C, Corves C, Kane JM, Leucht S. 2009. Antipsychotic combinations vs monotherapy in schizophrenia: a meta-analysis of randomized controlled trials. *Schizophr Bull* 35:443–457.
- Crespo-Facorro B, Rodriguez-Sanchez JM, Perez-Iglesias R, Mata I, Ayesa R, Ramirez-Bonilla M, et al. 2009. Neurocognitive effectiveness of haloperidol, risperidone, and olanzapine in first-episode psychosis: a randomized, controlled 1-year follow-up comparison. *J Clin Psychiatry* 70:717–729.
- Crocq MA, Naber D, Lader MH, Thibaut F, Drici M, Everitt B, et al. 2010. Suicide attempts in a prospective cohort of patients with schizophrenia treated with sertindole or risperidone. *Eur Neuropsychopharmacol* 20:829–838.
- Currier GW, Citrome LL, Zimbroff DL, Oren D, Manos G, McQuade R, et al. 2007. Intramuscular aripiprazole in the control of agitation. *J Psychiatr Pract* 13:159–169.
- Currier GW, Simpson GM. 2001. Risperidone liquid concentrate and oral lorazepam versus intramuscular haloperidol and intramuscular lorazepam for treatment of psychotic agitation. *J Clin Psychiatry* 62:153–157.
- Cutler AJ, Kalali AH, Weiden PJ, Hamilton J, Wolfgang CD. 2008. Four-week, double-blind, placebo- and ziprasidone-controlled trial of iloperidone in patients with acute exacerbations of schizophrenia. *J Clin Psychopharmacol* 28:S20–28.
- Cutler AJ, Marcus RN, Hardy SA, O'Donnell A, Carson WH, McQuade RD. 2006. The efficacy and safety of lower doses of aripiprazole for the treatment of patients with acute exacerbation of schizophrenia. *CNS Spectr* 11:691–702; quiz 719.
- Dahl SG. 1990. Pharmacokinetics of antipsychotic drugs in man. *Acta Psychiatr Scand Suppl* 358:37–40.
- Daniel DG, Currier GW, Zimbroff DL, Allen MH, Oren D, Manos G, et al. 2007. Efficacy and safety of oral aripiprazole compared with haloperidol in patients transitioning from acute treatment with intramuscular formulations. *J Psychiatr Pract* 13:170–177.

- Daniel DG, Potkin SG, Reeves KR, Swift RH, Harrigan EP. 2001. Intramuscular (IM) ziprasidone 20 mg is effective in reducing acute agitation associated with psychosis: a double-blind, randomized trial. *Psychopharmacology (Berlin)* 155:128–134.
- Daniel DG, Zimbroff DL, Potkin SG, Reeves KR, Harrigan EP, Lakshminarayanan M. 1999. Ziprasidone 80 mg/day and 160 mg/day in the acute exacerbation of schizophrenia and schizoaffective disorder: a 6-week placebo-controlled trial. Ziprasidone Study Group. *Neuropsychopharmacology* 20:491–505.
- Danion JM, Rein W, Fleurot O. 1999. Improvement of schizophrenic patients with primary negative symptoms treated with amisulpride. Amisulpride Study Group. *Am J Psychiatry* 156:610–616.
- Davidson M, Emsley R, Kramer M, Ford L, Pan G, Lim P, et al. 2007. Efficacy, safety and early response of paliperidone extended-release tablets (paliperidone ER): results of a 6-week, randomized, placebo-controlled study. *Schizophr Res* 93:117–130.
- Davidson M, Galderisi S, Weiser M, Werbeloff N, Fleischhacker WW, Keefe RS, et al. 2009. Cognitive effects of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: a randomized, open-label clinical trial (EUFEST). *Am J Psychiatry* 166:675–682.
- Davis JM. 1975. Overview: maintenance therapy in psychiatry: I. Schizophrenia. *Am J Psychiatry* 132:1237–1245.
- Davis JM, Barter TJ, Kane JM. 1989. Antipsychotic drugs. In: Kaplan HI, Sadock BJ, editors. *Comprehensive textbook of psychiatry*. Baltimore, MD: Williams & Wilkins.
- Davis JM, Chen N. 2004. Dose response and dose equivalence of antipsychotics. *J Clin Psychopharmacol* 24:192–208.
- De Hert M, Dekker JM, Wood D, Kahl KG, Holt RI, Moller HJ. 2009. Cardiovascular disease and diabetes in people with severe mental illness position statement from the European Psychiatric Association (EPA), supported by the European Association for the Study of Diabetes (EASD) and the European Society of Cardiology (ESC). *Eur Psychiatry* 24:412–424.
- De Hert M, Hudyana H, Dockx L, Bernagie C, Sweers K, Tack J, et al. 2010. Second-generation antipsychotics and constipation: a review of the literature. *Eur Psychiatry* 26:34–44.
- de Lucena D, Fernandes BS, Berk M, Dodd S, Medeiros DW, Pedrini M, et al. 2009. Improvement of negative and positive symptoms in treatment-refractory schizophrenia: a double-blind, randomized, placebo-controlled trial with memantine as add-on therapy to clozapine. *J Clin Psychiatry* 70:1416–1423.
- Delcker A, Schoon ML, Oczkowski B, Gaertner HJ. 1990. Amisulpride versus haloperidol in treatment of schizophrenic patients – results of a double-blind study. *Pharmacopsychiatry* 23:125–130.
- DeSilva P, Fenton M, Rathbone J. 2006. Zotepine for schizophrenia. *Cochrane Database Syst Rev*: CD001948.
- Devinsky O, Honigfeld G, Patin J. 1991. Clozapine-related seizures. *Neurology* 41:369–371.
- DGPPN. 2006. S3 Praxisleitlinien in Psychiatrie und Psychotherapie. Band 1 – Behandlungsleitlinie Schizophrenie. Darmstadt: Steinkopff-Verlag.
- Dickson RA, Glazer WM. 1999. Neuroleptic-induced hyperprolactinemia. *Schizophr Res* 35(Suppl):S75–86.
- Dieterle DM, Muller-Spahn F, Ackenheil M. 1991. [Effectiveness and tolerance of zotepine in a double-blind comparison with perazine in schizophrenic patients]. *Fortschr Neurol Psychiatr* 59(Suppl 1):18–22.
- Dixon LB, Lehman AF, Levine J. 1995. Conventional antipsychotic medications for schizophrenia. *Schizophr Bull* 21: 567–577.
- Dixon LB, Perkins B, Calmes C. 2009. Guideline Watch (September 2009): Practice Guideline for the treatment of patients with schizophrenia.
- Dlabac-de Lange JJ, Knegtering R, Aleman A. 2010. Repetitive transcranial magnetic stimulation for negative symptoms of schizophrenia: review and meta-analysis. *J Clin Psychiatry* 71:411–8.
- Docherty JP, Baker RA, Eudicone J, Mathew S, Marcus RN, McQuade RD, et al. 2010. Effect of aripiprazole versus haloperidol on PANSS Prosocial items in early-episode patients with schizophrenia. *Schizophr Res* 120:199–203.
- Donnelly L, Waraich PS, Adams CE, Hamill KM, Roque M, Figuls M, et al. 2010. Haloperidol dose for the acute phase of schizophrenia (Review). *Cochrane Database Syst Rev*. CD001951. DOI: 10.1002/14651858.CD001951.

- Dorevitch A, Katz N, Zemishlany Z, Aizenberg D, Weizman A. 1999. Intramuscular flunitrazepam versus intramuscular haloperidol in the emergency treatment of aggressive psychotic behavior. *Am J Psychiatry* 156:142–144.
- Dose M, Hellweg R, Yassouridis A, Theison M, Emrich HM. 1998. Combined treatment of schizophrenic psychoses with haloperidol and valproate. *Pharmacopsychiatry* 31:122–125.
- Dossenbach MRK, Beuzen JN, Avnon M, Belmaker RH, Elizur A, Mark M, et al. 2000. The effectiveness of olanzapine in treatment-refractory schizophrenia when patients are nonre- sponsive to or unable to tolerate clozapine. *Clin Ther* 22:1021– 1034.
- Duggal HS, Mendhekar DN. 2006. High-dose aripiprazole in treatment-resistant schizophrenia. *J Clin Psychiatry* 67:674– 675.
- Duggan L, Fenton M, Rathbone J, Dardennes R, El-Dosoky A, Indran S. 2005. Olanzapine for schizophrenia. *Cochrane Data- base Syst Rev*: CD001359.
- Dursun SM, Deakin JF. 2001. Augmenting antipsychotic treat- ment with lamotrigine or topiramate in patients with treatment- resistant schizophrenia: a naturalistic case-series outcome study. *J Psychopharmacol* 15:297–301.
- Dursun SM, McIntosh D, Milliken H. 1999. Clozapine plus lamotrigine in treatment-resistant schizophrenia. *Arch Gen Psychiatry* 56:950.
- El-Gaaly S, St John P, Dunsmore S, Bolton JM. 2009. Atypical neuroleptic malignant syndrome with quetiapine: a case report and review of the literature. *J Clin Psychopharmacol* 29: 497–499.
- El-Sayeh HG, Morganti C. 2004. Aripiprazole for schizophrenia. *Cochrane Database Syst Rev*: CD004578.
- El-Sayeh HG, Morganti C. 2006. Aripiprazole for schizophrenia. *Cochrane Database Syst Rev*: CD004578.
- El-Sayeh HG, Morganti C, Adams CE. 2006. Aripiprazole for schizophrenia. Systematic review. *Br J Psychiatry* 189: 102–108.
- Emsley R, Berwaerts J, Eerdeken M, Kramer M, Lane R, Lim P, et al. 2008. Efficacy and safety of oral paliperidone extended- release tablets in the treatment of acute schizophrenia: pooled data from three 52-week open-label studies. *Int Clin Psychop- harmacol* 23:343–356.
- Emsley RA. 1999. Risperidone in the treatment of first-episode psychotic patients: a double-blind multicenter study. *Risperi- done Working Group. Schizophr Bull* 25:721–729.
- Emsley RA, Raniwalla J, Bailey PJ, Jones AM. 2000. A comparison of the effects of quetiapine (‘seroquel’) and haloperidol in schizophrenic patients with a history of and a demonstrated, partial response to conventional antipsychotic treatment. PRIZE Study Group. *Int Clin Psychopharmacol* 15:121–131.
- England ML, Ongur D, Konopaske GT, Karmacharya R. 2011. Catatonia in psychotic patients: clinical features and treatment response. *J Neuropsychiatry Clin Neurosci* 23:223–226.
- Englich S, Esser A, Enning F, Hohmann S, Schanz H, Zink M. 2010. Augmentation with pregabalin in schizophrenia. *J Clin Psychopharmacol* 30:437–440.
- Essali A, Al-Haj Haasan N, Li C, Rathbone J. 2009. Clozapine versus typical neuroleptic medication for schizophrenia. *Cochrane Database Syst Rev*: CD000059.
- Essock SM, Covell NH, Davis SM, Stroup TS, Rosenheck RA, Lieberman JA. 2006. Effectiveness of switching antipsychotic medications. *Am J Psychiatry* 163:2090–2095.
- Essock SM, Hargreaves WA, Covell NH, Goethe J. 1996. Cloza- pine’s effectiveness for patients in state hospitals: results from a randomized trial. *Psychopharmacol Bull* 32:683–697.
- Essock SM, Schooler NR, Stroup TS, McEvoy JP, Rojas I, Jackson C, et al. 2011. Effectiveness of switching from antipsychotic polypharmacy to monotherapy. *Am J Psychiatry* 168:702–708.
- Fabre LF Jr, Arvanitis L, Pultz J, Jones VM, Malick JB, Slotnick VB. 1995. ICI 204,636, a novel, atypical antipsychotic: early indication of safety and efficacy in patients with chronic and subchronic schizophrenia. *Clin Ther* 17:366–378.
- Fagerlund B, Mackeprang T, Gade A, Glenthøj BY. 2004. Effects of low-dose risperidone and low-dose zuclopenthixol on cogni- tive functions in first-episode drug-naïve schizophrenic patients. *CNS Spectr* 9:364–374.
- Falkai P, Wobrock T, Lieberman J, Glenthøj B, Gattaz WF, Moller HJ. 2005. World Federation of Societies of Biological Psychia- try (WFSBP) guidelines for biological treatment of schizophre- nia, Part 1: acute treatment of schizophrenia. *World J Biol Psychiatry* 6:132–191.
- Falkai P, Wobrock T, Lieberman J, Glenthøj B, Gattaz WF, Moller HJ. 2006. World Federation of Societies of Biological Psychia- try (WFSBP) guidelines for biological treatment of schizophre- nia, part 2: long-term treatment of schizophrenia. *World J Biol Psychiatry* 7:5–40.

- Faries DE, Ascher-Svanum H, Nyhuis AW, Kinon BJ. 2008. Switching from risperidone to olanzapine in a one-year, randomized, open-label effectiveness study of schizophrenia. *Curr Med Res Opin* 24:1399–1405.
- Faries DE, Ascher-Svanum H, Nyhuis AW, Kinon BJ. 2009. Clinical and economic ramifications of switching antipsychotics in the treatment of schizophrenia. *BMC Psychiatry* 9:54.
- Fell MJ, McKinzie DL, Monn JA, Svensson KA. 2012. Group II metabotropic glutamate receptor agonists and positive allosteric modulators as novel treatments for schizophrenia. *Neuropharmacology* 62:1473–1483.
- Fischer-Cornelissen KA, Ferner UJ. 1976. An example of European multicenter trials: multispectral analysis of clozapine. *Psychopharmacol Bull* 12:34–39.
- Fleischhacker WW, Barnas C, Stuppach CH, Unterwiesing B, Miller C, Hinterhuber H. 1989. Zotepine vs. haloperidol in paranoid schizophrenia: a double-blind trial. *Psychopharmacol Bull* 25:97–100.
- Fleischhacker WW, Heikkinen ME, Olie JP, Landsberg W, Dewaele P, McQuade RD, et al. 2010. Effects of adjunctive treatment with aripiprazole on body weight and clinical efficacy in schizophrenia patients treated with clozapine: a randomized, double-blind, placebo-controlled trial. *Int J Neuropsychopharmacol* 13:1115–1125.
- Fleischhacker WW, McQuade RD, Marcus RN, Archibald D, Swanink R, Carson WH. 2009. A double-blind, randomized comparative study of aripiprazole and olanzapine in patients with schizophrenia. *Biol Psychiatry* 65:510–517.
- Foster S, Kessel J, Berman ME, Simpson GM. 1997. Efficacy of lorazepam and haloperidol for rapid tranquilization in a psychiatric emergency room setting. *Int Clin Psychopharmacol* 12:175–179.
- Francis A. 2010. Catatonia: diagnosis, classification, and treatment. *Curr Psychiatry Rep* 12:180–185.
- Freeman HL. 1997. Amisulpride compared with standard neuroleptics in acute exacerbations of schizophrenia: three efficacy studies. *Int Clin Psychopharmacol* 12(Suppl 2):S11–17.
- Freitas C, Fregni F, Pascual-Leone A. 2009. Meta-analysis of the effects of repetitive transcranial magnetic stimulation (rTMS) on negative and positive symptoms in schizophrenia. *Schizophr Res* 108:11–24.
- Freudenreich O, Goff DC. 2002. Antipsychotic combination therapy in schizophrenia. A review of efficacy and risks of current combinations. *Acta Psychiatr Scand* 106:323–330.
- Freudenreich O, Henderson DC, Walsh JP, Culhane MA, Goff DC. 2007. Risperidone augmentation for schizophrenia partially responsive to clozapine: a double-blind, placebo-controlled trial. *Schizophr Res* 92:90–94.
- Friedman JI, Lindenmayer JP, Alcantara F, Bowler S, Parak M, White L, et al. 2011. Pimozide augmentation of clozapine inpatients with schizophrenia and schizoaffective disorder unresponsive to clozapine monotherapy. *Neuropsychopharmacology* 36:1289–1295.
- Gaebel W, Riesbeck M, Wolwer W, Klimke A, Eickhoff M, von Wilmsdorff M, et al. 2007. Maintenance treatment with risperidone or low-dose haloperidol in first-episode schizophrenia: 1-year results of a randomized controlled trial within the German Research Network on Schizophrenia. *J Clin Psychiatry* 68:1763–1774.
- Gafoor R, Landau S, Craig TK, Elanjithara T, Power P, McGuire P. 2010. Esquire trial: efficacy and adverse effects of quetiapine versus risperidone in first-episode schizophrenia. *J Clin Psychopharmacol* 30:600–606.
- Gallhofer B, Jaanson P, Mittoux A, Tanghoj P, Lis S, Krieger S. 2007. Course of recovery of cognitive impairment in patients with schizophrenia: a randomized double-blind study comparing sertindole and haloperidol. *Pharmacopsychiatry* 40: 275–286.
- Ganguli R, Brar JS, Mahmoud R, Berry SA, Pandina GJ. 2008. Assessment of strategies for switching patients from olanzapine to risperidone: a randomized, open-label, rater-blinded study. *BMC Med* 6:17.
- Ganguly R, Kotzan JA, Miller LS, Kennedy K, Martin BC. 2004. Prevalence, trends, and factors associated with antipsychotic polypharmacy among Medicaid-eligible schizophrenia patients, 1998–2000. *J Clin Psychiatry* 65:1377–1388.
- Garza-Trevino ES, Hollister LE, Overall JE, Alexander WF. 1989. Efficacy of combinations of intramuscular antipsychotics and sedative-hypnotics for control of psychotic agitation. *Am J Psychiatry* 146:1598–1601.
- Gelenberg AJ, Doller JC. 1979. Clozapine versus chlorpromazine for the treatment of schizophrenia: preliminary results from a double-blind study. *J Clin Psychiatry* 40:238–240.
- Gency, Taner E, Candansayar S. 2007. Comparison of clozapine-amisulpride and clozapine-quetiapine combinations for patients with schizophrenia who are partially responsive to clozapine: a single-blind randomized study. *Adv Ther* 24:1–13.

- Gibson RC, Fenton M, Coutinho ES, Campbell C. 2004. Zuclopenthixol acetate for acute schizophrenia and similar serious mental illnesses. *Cochrane Database Syst Rev*: CD000525.
- Gibson RC, Walcott G. 2008. Benzodiazepines for catatonia in people with schizophrenia and other serious mental illnesses. *Cochrane Database Syst Rev*: CD006570.
- Gillies D, Beck A, McCloud A, Rathbone J. 2005. Benzodiazepines for psychosis-induced aggression or agitation. *Cochrane Database of Systematic Reviews*.
- Glassman AH, Bigger JT, Jr. 2001. Antipsychotic drugs: prolonged QTc interval, torsade de pointes, and sudden death. *Am J Psychiatry* 158:1774–1782.
- Glick ID. 2006. Understanding the results of CATIE in the context of the field. *CNS Spectr* 11:40–47.
- Glick ID, Bosch J, Casey DE. 2009. A double-blind randomized trial of mood stabilizer augmentation using lamotrigine and valproate for patients with schizophrenia who are stabilized and partially responsive. *J Clin Psychopharmacol* 29:267–271.
- Glick ID, Lemmens P, Vester-Blokland E. 2001. Treatment of the symptoms of schizophrenia: a combined analysis of double-blind studies comparing risperidone with haloperidol and other antipsychotic agents. *Int Clin Psychopharmacol* 16:265–274.
- Goff DC, Hill M, Freudenreich O. 2010. Strategies for improving treatment adherence in schizophrenia and schizoaffective disorder. *J Clin Psychiatry* 71(Suppl 2):20–26.
- Goff DC, Keefe R, Citrome L, Davy K, Krystal JH, Large C, et al. 2007. Lamotrigine as add-on therapy in schizophrenia: results of 2 placebo-controlled trials. *J Clin Psychopharmacol* 27: 582–589.
- Goff DC, Posever T, Herz L, Simmons J, Kletti N, Lapierre K, et al. 1998. An exploratory haloperidol-controlled dose-finding study of ziprasidone in hospitalized patients with schizophrenia or schizoaffective disorder. *J Clin Psychopharmacol* 18:296–304.
- Gomez JC, Crawford AM. 2001. Superior efficacy of olanzapine over haloperidol: analysis of patients with schizophrenia from a multicenter international trial. *J Clin Psychiatry* 62(Suppl 2):6–11.
- Green AI, Lieberman JA, Hamer RM, Glick ID, Gur RE, Kahn RS, et al. 2006. Olanzapine and haloperidol in first episode psychosis: two-year data. *Schizophr Res* 86:234–243.
- Green MF. 1996. What are the functional consequences of neurocognitive deficits in schizophrenia? *Am J Psychiatry* 153: 321–330.
- Green MF, Marshall BD Jr, Wirshing WC, Ames D, Marder SR, McGurk S, et al. 1997. Does risperidone improve verbal working memory in treatment-resistant schizophrenia? *Am J Psychiatry* 154:799–804.
- Group TSSR. 1987. The Scottish First Episode Schizophrenia Study. II. Treatment: pimozide versus flupenthixol. The Scottish Schizophrenia Research Group. *Br J Psychiatry* 150: 334–338.
- Grunze H, Vieta E, Goodwin GM, Bowden C, Licht RW, Moller HJ, et al. 2009. The World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the biological treatment of bipolar disorders: update 2009 on the treatment of acute mania. *World J Biol Psychiatry* 10:85–116.
- Gureje O, Miles W, Keks N, Grainger D, Lambert T, McGrath J, et al. 2003. Olanzapine vs risperidone in the management of schizophrenia: a randomized double-blind trial in Australia and New Zealand. *Schizophr Res* 61:303–314.
- Haddad PM, Anderson IM. 2002. Antipsychotic-related QTc prolongation, torsade de pointes and sudden death. *Drugs* 62:1649–1671.
- Hahn MK, Remington G, Bois D, Cohn T. 2010. Topiramate augmentation in clozapine-treated patients with schizophrenia: clinical and metabolic effects. *J Clin Psychopharmacol* 30: 706–710.
- Hamilton SH, Revicki DA, Edgell ET, Genduso LA, Tollefson G. 1999. Clinical and economic outcomes of olanzapine compared with haloperidol for schizophrenia. Results from a randomized clinical trial. *Pharmacoeconomics* 15:469–480.
- Hamilton SH, Revicki DA, Genduso LA, Beasley CM Jr. 1998. Olanzapine versus placebo and haloperidol: quality of life and efficacy results of the North American double-blind trial. *Neuropsychopharmacology* 18:41–49.
- Hanlon TE, Ota KY, Kurland AA. 1970. Comparative effects of fluphenazine, fluphenazine-chlordiazepoxide and fluphenazine-imipramine. *Dis Nerv Syst* 31:171–177.
- Harada T, Otsuki S, Fujiwara Y. 1991. [Effectiveness of zotepine in therapy-refractory psychoses. An open, multicenter study in eight psychiatric clinics]. *Fortschr Neurol Psychiatr* 59(Suppl 1):41–44.

- Harrigan EP, Miceli JJ, Anziano R, Watsky E, Reeves KR, Cutler NR, et al. 2004. A randomized evaluation of the effects of six antipsychotic agents on QTc, in the absence and presence of metabolic inhibition. *J Clin Psychopharmacol* 24:62–69.
- Harvey PD, Keefe RS. 2001. Studies of cognitive change in patients with schizophrenia following novel antipsychotic treatment. *Am J Psychiatry* 158:176–184.
- Harvey PD, Rabinowitz J, Eerdeken M, Davidson M. 2005. Treatment of cognitive impairment in early psychosis: a comparison of risperidone and haloperidol in a large long-term trial. *Am J Psychiatry* 162:1888–1895.
- Hasegawa M, Gutierrez-Esteinou R, Way L, Meltzer HY. 1993. Relationship between clinical efficacy and clozapine concentrations in plasma in schizophrenia: effect of smoking. *J Clin Psychopharmacol* 13:383–390.
- Hashimoto K, Sudo T, Hirano M, Motomura H, Tagawa K, Nashiro S, et al. 2006. Efficacy and safety of zotepine for patients with treatment-resistant schizophrenia. *Schizophr Res* 87:332–333.
- Hatta K, Sato K, Hamakawa H, Takebayashi H, Kimura N, Ochi S, et al. 2009. Effectiveness of second-generation antipsychotics with acute-phase schizophrenia. *Schizophr Res* 113:49–55.
- Hedges D, Jeppson K, Whitehead P. 2003. Antipsychotic medication and seizures: a review. *Drugs Today (Barc)* 39:551–557.
- Hegarty JD, Baldessarini RJ, Tohen M, Waternaux C, Oepen G. 1994. One hundred years of schizophrenia: a meta-analysis of the outcome literature. *Am J Psychiatry* 151:1409–1416.
- Heinrich K, Klieser E, Lehmann E, Kinzler E, Hruschka H. 1994. Risperidone versus clozapine in the treatment of schizophrenic patients with acute symptoms: a double blind, randomized trial. *Prog Neuropsychopharmacol Biol Psychiatry* 18:129–137.
- Helgason L. 1990. Twenty years' follow-up of first psychiatric presentation for schizophrenia: what could have been prevented? *Acta Psychiatr Scand* 81:231–235.
- Henderson DC, Cagliero E, Copeland PM, Borba CP, Evins E, Hayden D, et al. 2005. Glucose metabolism in patients with schizophrenia treated with atypical antipsychotic agents: a frequently sampled intravenous glucose tolerance test and minimal model analysis. *Arch Gen Psychiatry* 62:19–28.
- Henderson DC, Fan X, Copeland PM, Sharma B, Borba CP, Boxill R, et al. 2009a. Aripiprazole added to overweight and obese olanzapine-treated schizophrenia patients. *J Clin Psychopharmacol* 29:165–169.
- Henderson DC, Fan X, Copeland PM, Sharma B, Borba CP, Forstbauer SI, et al. 2009b. Ziprasidone as an adjuvant for clozapine- or olanzapine-associated medical morbidity in chronic schizophrenia. *Hum Psychopharmacol* 24:225–232.
- Henderson DC, Nasrallah RA, Goff DC. 1998. Switching from clozapine to olanzapine in treatment-refractory schizophrenia: safety, clinical efficacy, and predictors of response. *J Clin Psychiatry* 59:585–588.
- Hesslinger B, Normann C, Langosch JM, Klose P, Berger M, Walden J. 1999. Effects of carbamazepine and valproate on haloperidol plasma levels and on psychopathologic outcome in schizophrenic patients. *J Clin Psychopharmacol* 19:310–315.
- Hirsch SR, Kissling W, Bauml J, Power A, O'Connor R. 2002. A 28-week comparison of ziprasidone and haloperidol in outpatients with stable schizophrenia. *J Clin Psychiatry* 63: 516–523.
- Ho BC, Miller D, Nopoulos P, Andreasen NC. 1999. A comparative effectiveness study of risperidone and olanzapine in the treatment of schizophrenia. *J Clin Psychiatry* 60:658–663.
- Holden JM, Itil TM, Keskiner A, Fink M. 1968. Thioridazine and chlordiazepoxide, alone and combined, in the treatment of chronic schizophrenia. *Compr Psychiatry* 9:633–643.
- Honer WG, Thornton AE, Chen EY, Chan RC, Wong JO, Bergmann A, et al. 2006. Clozapine alone versus clozapine and risperidone with refractory schizophrenia. *New Engl J Med* 354:472–482.
- Hong CJ, Chen JY, Chiu HJ, Sim CB. 1997. A double-blind comparative study of clozapine versus chlorpromazine on Chinese patients with treatment-refractory schizophrenia. *Int Clin Psychopharmacol* 12:123–130.
- Hoyberg OJ, Fensbo C, Remvig J, Lingjaerde O, Sloth-Nielsen M, Salvesen I. 1993. Risperidone versus perphenazine in the treatment of chronic schizophrenic patients with acute exacerbations. *Acta Psychiatr Scand* 88:395–402.
- Huf G, Alexander J, Allen MH. 2005. Haloperidol plus promethazine for psychosis induced aggression. *Cochrane Database Syst Rev*: CD005146.

- Huf G, Alexander J, Allen MH, Raveendran NS. 2009. Haloperidol plus promethazine for psychosis-induced aggression. *Cochrane Database Syst Rev*: CD005146.
- Hunter RH, Joy CB, Kennedy E, Gilbody SM, Song F. 2003. Risperidone versus typical antipsychotic medication for schizophrenia. *Cochrane Database Syst Rev*: CD000440.
- Huq ZU. 2004. A trial of low doses of risperidone in the treatment of patients with first-episode schizophrenia, schizophreniform disorder, or schizoaffective disorder. *J Clin Psychopharmacol* 24:220–224.
- Huttunen MO, Piepponen T, Rantanen H, Larmo I, Nyholm R, Raitasuo V. 1995. Risperidone versus zuclopenthixol in the treatment of acute schizophrenic episodes: a double-blind parallel-group trial. *Acta Psychiatr Scand* 91:271–277.
- Hwang TJ, Lee SM, Sun HJ, Lin HN, Tsai SJ, Lee YC, et al. 2003. Amisulpride versus risperidone in the treatment of schizophrenic patients: a double-blind pilot study in Taiwan. *J Formos Med Assoc* 102:30–36.
- Hwang TJ, Lin SK, Lin HN. 2001. Efficacy and safety of zotepine for the treatment of Taiwanese schizophrenic patients: a double-blind comparison with haloperidol. *J Formos Med Assoc* 100:811–816.
- Iancu I, Tschernihovsky E, Bodner E, Piconne AS, Lowengrub K. 2010. Escitalopram in the treatment of negative symptoms in patients with chronic schizophrenia: a randomized double-blind placebo-controlled trial. *Psychiatry Res* 179:19–23.
- Irving CB, Adams CE, Lawrie SM. 2006. Haloperidol versus placebo for schizophrenia. *Cochrane Database of Systematic Reviews*. CD003082. DOI: 10.1002/14651858.CD003082.pub2
- Ishigooka J, Inada T, Miura S. 2001. Olanzapine versus haloperidol in the treatment of patients with chronic schizophrenia: results of the Japan multicenter, double-blind olanzapine trial. *Psychiatry Clin Neurosci* 55:403–414.
- Janicak PG, Davis JM, Shumway M Jr. 1993. *Principles and practice of psychopharmacotherapy*. Baltimore, MD: Williams & Wilkins.
- Janicak PG, Glick ID, Marder SR, Crandall DT, McQuade RD, Marcus RN, et al. 2009. The acute efficacy of aripiprazole across the symptom spectrum of schizophrenia: a pooled post hoc analysis from 5 short-term studies. *J Clin Psychiatry* 70:25–35.
- Jeste DV, Klausner M, Brecher M, Clyde C, Jones R. 1997. A clinical evaluation of risperidone in the treatment of schizophrenia: a 10-week, open-label, multicenter trial. ARCS Study Group. *Assessment of Risperidol in a Clinical Setting*. *Psychopharmacology (Berlin)* 131:239–247.
- Joffe G, Terevnikov V, Joffe M, Stenberg JH, Burkin M, Tiihonen J. 2009. Add-on mirtazapine enhances antipsychotic effect of first generation antipsychotics in schizophrenia: a double-blind, randomized, placebo-controlled trial. *Schizophr Res* 108:245–251.
- Jones MP, Nicholl D, Trakas K. 2010. Efficacy and tolerability of paliperidone ER and other oral atypical antipsychotics in schizophrenia. *Int J Clin Pharmacol Ther* 48:383–399.
- Jones PB, Barnes TR, Davies L, Dunn G, Lloyd H, Hayhurst KP, et al. 2006. Randomized controlled trial of the effect on Quality of Life of second- vs first-generation antipsychotic drugs in schizophrenia: Cost Utility of the Latest Antipsychotic Drugs in Schizophrenia Study (CUtLASS 1). *Arch Gen Psychiatry* 63:1079–1087.
- Josiassen RC, Joseph A, Kohegyi E, Stokes S, Dadvand M, Paing WW, et al. 2005. Clozapine augmented with risperidone in the treatment of schizophrenia: a randomized, double-blind, placebo-controlled trial. *Am J Psychiatry* 162:130–136.
- Joy CB, Adams CE, Lawrie SM. 2006a. Haloperidol versus placebo for schizophrenia. *Cochrane Database Syst Rev*: CD003082.
- Joy CB, Mumby-Croft R, Joy LA. 2006b. Polyunsaturated fatty acid supplementation for schizophrenia. *Cochrane Database Syst Rev* 3: CD001257.
- Kahn RS, Fleischhacker WW, Boter H, Davidson M, Vergouwe Y, Keet IP, et al. 2008. Effectiveness of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: an open randomised clinical trial. *Lancet* 371:1085–1097.
- Kahn RS, Schulz SC, Palazov VD, Reyes EB, Brecher M, Svensson O, et al. 2007. Efficacy and tolerability of once-daily extended release quetiapine fumarate in acute schizophrenia: a randomized, double-blind, placebo-controlled study. *J Clin Psychiatry* 68:832–842.
- Kane J, Canas F, Kramer M, Ford L, Gassmann-Mayer C, Lim P, et al. 2007a. Treatment of schizophrenia with paliperidone extended-release tablets: a 6-week placebo-controlled trial. *Schizophr Res* 90:147–161.
- Kane J, Honigfeld G, Singer J, Meltzer H. 1988a. Clozapine for the treatment-resistant schizophrenic. A double-blind comparison with chlorpromazine. *Arch Gen Psychiatry* 45: 789–796.
- Kane JM. 1994. The use of higher-dose antipsychotic medication. Comment on the Royal College of Psychiatrists' consensus statement. *Br J Psychiatry* 164:431–432.

- Kane JM, Assuncao-Talbot S, Eudicone JM, Pikalov A, White-head R, Crandall DT. 2008a. The efficacy of aripiprazole in the treatment of multiple symptom domains in patients with acute schizophrenia: a pooled analysis of data from the pivotal trials. *Schizophr Res* 105:208–215.
- Kane JM, Carson WH, Saha AR, McQuade RD, Ingenito GG, Zimbhoff DL, et al. 2002. Efficacy and safety of aripiprazole and haloperidol versus placebo in patients with schizophrenia and schizoaffective disorder. *J Clin Psychiatry* 63: 763–771.
- Kane JM, Cohen M, Zhao J, Alphas L, Panagides J. 2010. Efficacy and safety of asenapine in a placebo- and haloperidol- controlled trial in patients with acute exacerbation of schizophrenia. *J Clin Psychopharmacol* 30:106–115.
- Kane JM, Correll CU, Goff DC, Kirkpatrick B, Marder SR, Vester-Blokland E, et al. 2009a. A multicenter, randomized, double-blind, placebo-controlled, 16-week study of adjunctive aripiprazole for schizophrenia or schizoaffective disorder inadequately treated with quetiapine or risperidone monotherapy. *J Clin Psychiatry* 70:1348–1357.
- Kane JM, Crandall DT, Marcus RN, Eudicone J, Pikalov A, 3rd, Carson WH, et al. 2007b. Symptomatic remission in schizophrenia patients treated with aripiprazole or haloperidol for up to 52 weeks. *Schizophr Res* 95:143–150.
- Kane JM, Honigfeld G, Singer J, Meltzer H. 1988b. Clozapine in treatment-resistant schizophrenics. *Psychopharmacol Bull* 24:62–67.
- Kane JM, Kim E, Kan HJ, Guo Z, Bates JA, Whitehead R, et al. 2009b. Comparative utility of aripiprazole and haloperidol in schizophrenia: post hoc analysis of two 52-week, randomized, controlled trials. *Appl Health Econ Health Policy* 7:109–119.
- Kane JM, Lauriello J, Laska E, Di Marino M, Wolfgang CD. 2008b. Long-term efficacy and safety of iloperidone: results from 3 clinical trials for the treatment of schizophrenia. *J Clin Psychopharmacol* 28:S29–35.
- Kane JM, Leucht S, Carpenter D, Docherty JP. 2003. The expert consensus guideline series. Optimizing pharmacologic treatment of psychotic disorders. Introduction: methods, commentary, and summary. *J Clin Psychiatry* 64(Suppl 12):5–19.
- Kane JM, Mackle M, Snow-Adami L, Zhao J, Szegedi A, Panagides J. 2011a. A randomized placebo-controlled trial of asenapine for the prevention of relapse of schizophrenia after long-term treatment. *J Clin Psychiatry* 72:349–355.
- Kane JM, Marder SR. 1993. Psychopharmacologic treatment of schizophrenia. *Schizophr Bull* 19:287–302.
- Kane JM, Marder SR, Schooler NR, Wirshing WC, Umbricht D, Baker RW, et al. 2001. Clozapine and haloperidol in moderately refractory schizophrenia: a 6-month randomized and double-blind comparison. *Arch Gen Psychiatry* 58:965–972.
- Kane JM, Meltzer HY, Carson WH, Jr., McQuade RD, Marcus RN, Sanchez R. 2007c. Aripiprazole for treatment-resistant schizophrenia: results of a multicenter, randomized, double-blind, comparison study versus perphenazine. *J Clin Psychiatry* 68:213–223.
- Kane JM, Potkin SG, Daniel DG, Buckley PF. 2011b. A double-blind, randomized study comparing the efficacy and safety of sertindole and risperidone in patients with treatment-resistant schizophrenia. *J Clin Psychiatry* 72:194–204.
- Karagianis JL, LeDrew KK, Walker DJ. 2003. Switching treatment-resistant patients with schizophrenia or schizoaffective disorder to olanzapine: a one-year open-label study with five-year follow-up. *Curr Med Res Opin* 19:473–480.
- Kasper S, Lerman MN, McQuade RD, Saha A, Carson WH, Ali M, et al. 2003. Efficacy and safety of aripiprazole vs. haloperidol for long-term maintenance treatment following acute relapse of schizophrenia. *Int J Neuropsychopharmacol* 6: 325–337.
- Kasper S, Lowry AJ, Hodge A, Bitter I, Dossenbach M. 2006. Tardive dyskinesia: analysis of outpatients with schizophrenia from Africa and the Middle East, Asia, Central and Eastern Europe, and Latin America. *Schizophr Res* 81:139–143.
- Keck P Jr, Buffenstein A, Ferguson J, Feighner J, Jaffe W, Harrigan EP, et al. 1998. Ziprasidone 40 and 120 mg/day in the acute exacerbation of schizophrenia and schizoaffective disorder: a 4-week placebo-controlled trial. *Psychopharmacology (Berlin)* 140:173–184.
- Keck PE Jr, Pope HG Jr, Cohen BM, McElroy SL, Nierenberg AA. 1989. Risk factors for neuroleptic malignant syndrome. A case-control study. *Arch Gen Psychiatry* 46:914–918.
- Kee KS, Kern RS, Marshall BD Jr, Green MF. 1998. Risperidone versus haloperidol for perception of emotion in treatment-resistant schizophrenia: preliminary findings. *Schizophr Res* 31:159–165.
- Keefe RS, Bilder RM, Davis SM, Harvey PD, Palmer BW, Gold JM, et al. 2007a. Neurocognitive effects of antipsychotic medications in patients with chronic schizophrenia in the CATIE Trial. *Arch Gen Psychiatry* 64:633–647.
- Keefe RS, Seidman LJ, Christensen BK, Hamer RM, Sharma T, Sitskoorn MM, et al. 2004. Comparative effect of atypical and conventional antipsychotic drugs on neurocognition in first-episode psychosis: a randomized, double-blind trial of olanzapine versus low doses of haloperidol. *Am J Psychiatry* 161:985–995.

- Keefe RS, Seidman LJ, Christensen BK, Hamer RM, Sharma T, Sitskoorn MM, et al. 2006. Long-term neurocognitive effects of olanzapine or low-dose haloperidol in first-episode psychosis. *Biol Psychiatry* 59:97–105.
- Keefe RS, Sweeney JA, Gu H, Hamer RM, Perkins DO, McEvoy JP, et al. 2007b. Effects of olanzapine, quetiapine, and risperidone on neurocognitive function in early psychosis: a randomized, double-blind 52-week comparison. *Am J Psychiatry* 164:1061–1071.
- Kelly DL, Conley RR, Love RC, Morrison JA, McMahon RP. 2008. Metabolic risk with second-generation antipsychotic treatment: a double-blind randomized 8-week trial of risperidone and olanzapine. *Ann Clin Psychiatry* 20:71–8.
- Kern RS, Green MF, Cornblatt BA, Owen JR, McQuade RD, Carson WH, et al. 2006. The neurocognitive effects of aripiprazole: an open-label comparison with olanzapine. *Psychopharmacology (Berlin)* 187:312–320.
- Kerwin R, Millet B, Herman E, Banki CM, Lublin H, Pans M, et al. 2007. A multicentre, randomized, naturalistic, open-label study between aripiprazole and standard of care in the management of community-treated schizophrenic patients Schizophrenia Trial of Aripiprazole: (STAR) study. *Eur Psychiatry* 22:433–443.
- Kim CY, Chung S, Lee JN, Kwon JS, Kim do H, Kim CE, et al. 2009. A 12-week, naturalistic switch study of the efficacy and tolerability of aripiprazole in stable outpatients with schizophrenia or schizoaffective disorder. *Int Clin Psychopharmacol* 24:181–188.
- Kim JH, Yim SJ, Nam JH. 2006. A 12-week, randomized, open-label, parallel-group trial of topiramate in limiting weight gain during olanzapine treatment in patients with schizophrenia. *Schizophr Res* 82:115–117.
- Kinon BJ, Kane JM, Johns C, Perovich R, Ismi M, Koreen A, et al. 1993. Treatment of neuroleptic-resistant schizophrenic relapse. *Psychopharmacol Bull* 29:309–314.
- Kishimoto T, Agarwal V, Kishi T, Leucht S, Kane JM, Correll CU. 2011. Relapse prevention in schizophrenia: a systematic review and meta-analysis of second-generation antipsychotics versus first-generation antipsychotics. *Mol Psychiatry*. 2011 Nov 29. doi: 10.1038/mp.2011.143. [Epub ahead of print]
- Kleinberg DL, Davis JM, de Coster R, Van Baelen B, Brecher M. 1999. Prolactin levels and adverse events in patients treated with risperidone. *J Clin Psychopharmacol* 19:57–61.
- Klieser E, Lehmann E, Tegeler J. 1991. [Double-blind comparison of 300 mg zotepine und 300 mg haloperidol in acute schizophrenic patients]. *Fortschr Neurol Psychiatr* 59(Suppl 1):14–17.
- Klieser E, Strauss WH, Lemmer W. 1994. The tolerability and efficacy of the atypical neuroleptic remoxipride compared with clozapine and haloperidol in acute schizophrenia. *Acta Psychiatr Scand Suppl* 380:68–73.
- Klimke A, Klieser E, Lehmann E, Miele L. 1993. Initial improvement as a criterion for drug choice in acute schizophrenia. *Pharmacopsychiatry* 26:25–29.
- Ko YH, Joe SH, Jung IK, Kim SH. 2005. Topiramate as an adjunctive treatment with atypical antipsychotics in schizophrenic patients experiencing weight gain. *Clin Neuropharmacol* 28:169–175.
- Kolivakis TT, Beauclair L, Margolese HC, Chouinard G. 2004. Long-term lamotrigine adjunctive to antipsychotic monotherapy in schizophrenia: further evidence. *Can J Psychiatry* 49:280.
- Komossa K, Rummel-Kluge C, Hunger H, Schmid F, Schwarz S, Duggan L, et al. 2010a. Olanzapine versus other atypical antipsychotics for schizophrenia. *Cochrane Database Syst Rev*: CD006654.
- Komossa K, Rummel-Kluge C, Hunger H, Schmid F, Schwarz S, Kissling W, et al. 2010b. Zotepine versus other atypical antipsychotics for schizophrenia. *Cochrane Database Syst Rev*: CD006628.
- Komossa K, Rummel-Kluge C, Hunger H, Schmid F, Schwarz S, Silveira da Mota Neto JI, et al. 2010c. Amisulpride versus other atypical antipsychotics for schizophrenia. *Cochrane Database Syst Rev*: CD006624.
- Komossa K, Rummel-Kluge C, Hunger H, Schwarz S, Bhoopathi PS, Kissling W, et al. 2009a. Ziprasidone versus other atypical antipsychotics for schizophrenia. *Cochrane Database Syst Rev*: CD006627.
- Komossa K, Rummel-Kluge C, Hunger H, Schwarz S, Schmidt F, Lewis R, et al. 2009b. Sertindole versus other atypical antipsychotics for schizophrenia. *Cochrane Database Syst Rev*: CD006752.
- Komossa K, Rummel-Kluge C, Schmid F, Hunger H, Schwarz S, El-Sayeh HG, et al. 2009c. Aripiprazole versus other atypical antipsychotics for schizophrenia. *Cochrane Database Syst Rev*: CD006569.
- Komossa K, Rummel-Kluge C, Schmid F, Hunger H, Schwarz S, Srisurapanont M, et al. 2010d. Quetiapine versus other atypical antipsychotics for schizophrenia. *Cochrane Database Syst Rev*: CD006625.

- Kontaxakis VP, Havaki-Kontaxaki BJ, Ferentinos PP, Paplos KG, Soldatos CR. 2006. Switching to amisulpride monotherapy for treatment-resistant schizophrenia. *Eur Psychiatry* 21:214–217.
- Kotler M, Strous RD, Reznik I, Shwartz S, Weizman A, Spivak B. 2004. Sulpiride augmentation of olanzapine in the management of treatment-resistant chronic schizophrenia: evidence for improvement of mood symptomatology. *Int Clin Psychopharmacol* 19:23–26.
- Kraus JE, Sheitman BB, Cook A, Reviere R, Lieberman JA. 2005. Olanzapine versus risperidone in newly admitted acutely ill psychotic patients. *J Clin Psychiatry* 66:1564–1568.
- Kremer I, Vass A, Gorelik I, Bar G, Blararu M, Javitt DC, et al. 2004. Placebo-controlled trial of lamotrigine added to conventional and atypical antipsychotics in schizophrenia. *Biol Psychiatry* 56:441–446.
- Kreyenbuhl J, Buchanan RW, Dickerson FB, Dixon LB. 2010. The Schizophrenia Patient Outcomes Research Team (PORT): updated treatment recommendations 2009. *Schizophr Bull* 36:94–103.
- Kristensen D, Bauer J, Hageman I, Jorgensen MB. 2011. Electroconvulsive therapy for treating schizophrenia: a chart review of patients from two catchment areas. *Eur Arch Psychiatry Clin Neurosci* 261:425–432.
- Kronig MH, Munne RA, Szymanski S, Safferman AZ, Pollack S, Cooper T, et al. 1995. Plasma clozapine levels and clinical response for treatment-refractory schizophrenic patients. *Am J Psychiatry* 152:179–182.
- Kumra S, Kranzler H, Gerbino-Rosen G, Kester HM, De Thomas C, Kafantaris V, et al. 2008. Clozapine and “high-dose” olanzapine in refractory early-onset schizophrenia: a 12-week randomized and double-blind comparison. *Biol Psychiatry* 63:524–529.
- Kuwilsky A, Krumm B, Englisch S, Dressing H, Zink M. 2010. Long-term efficacy and tolerability of clozapine combined with ziprasidone or risperidone. *Pharmacopsychiatry* 43:216–220.
- Lancelin F, Bourcier E, Le Masson V, Lemeille Y, Brovedani S, Paubel P, et al. 2010. Effect of cyamemazine on the steady-state plasma concentrations of risperidone and 9-hydroxyrisperidone: a preliminary retrospective study. *Ther Drug Monit* 32:757–761.
- Lecrubier Y, Quintin P, Bouhassira M, Perrin E, Lancrenon S. 2006. The treatment of negative symptoms and deficit states of chronic schizophrenia: olanzapine compared to amisulpride and placebo in a 6-month double-blind controlled clinical trial. *Acta Psychiatr Scand* 114:319–327.
- Lee HY, Ham BJ, Kang RH, Paik JW, Hahn SW, Lee MS. 2010. Trial of aripiprazole in the treatment of first-episode schizophrenia. *Psychiatry Clin Neurosci* 64:38–43.
- Lee SM, Chou YH, Li MH, Wan FJ, Yen MH. 2007. Effects of antipsychotics on cognitive performance in drug-naïve schizophrenic patients. *Prog Neuropsychopharmacol Biol Psychiatry* 31:1101–1107.
- Lehman AF, Lieberman JA, Dixon LB, McGlashan TH, Miller AL, Perkins DO, et al. 2004. Practice guideline for the treatment of patients with schizophrenia, second edition. *Am J Psychiatry* 161:1–56.
- Leucht C, Kitzmantel M, Chua L, Kane J, Leucht S. 2008. Haloperidol versus chlorpromazine for schizophrenia. *Cochrane Database Syst Rev*: CD004278.
- Leucht S. 2004. Amisulpride a selective dopamine antagonist and atypical antipsychotic: results of a meta-analysis of randomized controlled trials. *Int J Neuropsychopharmacol* 7(Suppl 1): S15–20.
- Leucht S, Arbter D, Engel RR, Kissling W, Davis JM. 2009a. How effective are second-generation antipsychotic drugs? A meta-analysis of placebo-controlled trials. *Mol Psychiatry* 14: 429–447.
- Leucht S, Busch R, Kissling W, Kane JM. 2007a. Early prediction of antipsychotic nonresponse among patients with schizophrenia. *J Clin Psychiatry* 68:352–360.
- Leucht S, Corves C, Arbter D, Engel RR, Li C, Davis JM. 2009b. Second-generation versus first-generation antipsychotic drugs for schizophrenia: a meta-analysis. *Lancet* 373:31–41.
- Leucht S, Hartung B. 2002. Benperidol for schizophrenia. *Cochrane Database Syst Rev*: CD003083.
- Leucht S, Hartung B. 2005. Benperidol for schizophrenia. *Cochrane Database Syst Rev*: CD003083.
- Leucht S, Kissling W, Davis JM. 2009c. Second-generation antipsychotics for schizophrenia: can we resolve the conflict? *Psychol Med* 39:1591–1602.
- Leucht S, Kissling W, McGrath J. 2004. Lithium for schizophrenia revisited: a systematic review and meta-analysis of randomized controlled trials. *J Clin Psychiatry* 65:177–186.

- Leucht S, Kissling W, McGrath J. 2007b. Lithium for schizophrenia. *Cochrane Database Syst Rev*: CD003834.
- Leucht S, Kissling W, McGrath J, White P. 2007c. Carbamazepine for schizophrenia. *Cochrane Database Syst Rev*: CD001258.
- Leucht S, Komossa K, Rummel-Kluge C, Corves C, Hunger H, Schmid F, et al. 2009d. A meta-analysis of head-to-head comparisons of second-generation antipsychotics in the treatment of schizophrenia. *Am J Psychiatry* 166:152–163.
- Leucht S, Pitschel-Walz G, Abraham D, Kissling W. 1999. Efficacy and extrapyramidal side-effects of the new antipsychotics olanzapine, quetiapine, risperidone, and sertindole compared to conventional antipsychotics and placebo. A meta-analysis of randomized controlled trials. *Schizophr Res* 35:51–68.
- Leucht S, Pitschel-Walz G, Engel RR, Kissling W. 2002. Amisulpride, an unusual “atypical” antipsychotic: a meta-analysis of randomized controlled trials. *Am J Psychiatry* 159:180–190.
- Levy-Rueff M, Gourevitch R, Loo H, Olie JP, Amado I. 2010. Maintenance electroconvulsive therapy: an alternative treatment for refractory schizophrenia and schizoaffective disorders. *Psychiatry Res* 175:280–283.
- Lewis R, Bagnall AM, Leitner M. 2005. Sertindole for schizophrenia. *Cochrane Database Syst Rev*: CD001715.
- Lewis SW, Barnes TR, Davies L, Murray RM, Dunn G, Hayhurst KP, et al. 2006. Randomized controlled trial of effect of prescription of clozapine versus other second-generation antipsychotic drugs in resistant schizophrenia. *Schizophr Bull* 32:715–723.
- Li C, Xia J, Wang J. 2009. Risperidone dose for schizophrenia. *Cochrane Database Syst Rev*: CD007474.
- Lieberman JA, Papadakis K, Csernansky J, Litman R, Volavka J, Jia XD, et al. 2009. A randomized, placebo-controlled study of memantine as adjunctive treatment in patients with schizophrenia. *Neuropsychopharmacology* 34:1322–1329.
- Lieberman JA, Phillips M, Gu H, Stroup S, Zhang P, Kong L, et al. 2003a. Atypical and conventional antipsychotic drugs in treatment-naive first-episode schizophrenia: a 52-week randomized trial of clozapine vs chlorpromazine. *Neuropsychopharmacology* 28:995–1003.
- Lieberman JA, Stroup TS, McEvoy JP, Swartz MS, Rosenheck RA, Perkins DO, et al. 2005. Effectiveness of antipsychotic drugs in patients with chronic schizophrenia. *New Engl J Med* 353:1209–1223.
- Lieberman JA, Tollefson G, Tohen M, Green AI, Gur RE, Kahn R, et al. 2003b. Comparative efficacy and safety of atypical and conventional antipsychotic drugs in first-episode psychosis: a randomized, double-blind trial of olanzapine versus haloperidol. *Am J Psychiatry* 160:1396–1404.
- Lima AR, Soares-Weiser K, Bacaltchuk J, Barnes TR. 2002. Benzodiazepines for neuroleptic-induced acute akathisia. *Cochrane Database Syst Rev*: CD001950.
- Lindenmayer JP, Citrome L, Khan A, Kaushik S. 2011. A randomized, double-blind, parallel-group, fixed-dose, clinical trial of quetiapine at 600 versus 1200 mg/d for patients with treatment-resistant schizophrenia or schizoaffective disorder. *J Clin Psychopharmacol* 31:160–168.
- Lindenmayer JP, Czobor P, Volavka J, Lieberman JA, Citrome L, Sheitman B, et al. 2002. Olanzapine in refractory schizophrenia after failure of typical or atypical antipsychotic treatment: an open-label switch study. *J Clin Psychiatry* 63:931–935.
- Lindenmayer JP, Grochowski S, Mabus L. 1994. Clozapine effects on positive and negative symptoms: a six-month trial in treatment-refractory schizophrenics. *J Clin Psychopharmacol* 14:201–204.
- Lindenmayer JP, Khan A, Iskander A, Abad MT, Parker B. 2007. A randomized controlled trial of olanzapine versus haloperidol in the treatment of primary negative symptoms and neurocognitive deficits in schizophrenia. *J Clin Psychiatry* 68:368–379.
- Loebel AD, Khanna S, Rajadhyaksha S, Siu CO, Giller E, Potkin SG. 2007. Ziprasidone in treatment-resistant schizophrenia: a 52-week, open-label continuation study. *J Clin Psychiatry* 68:1333–1338.
- Loo H, Poirier-Littre MF, Theron M, Rein W, Fleurot O. 1997. Amisulpride versus placebo in the medium-term treatment of the negative symptoms of schizophrenia. *Br J Psychiatry* 170:18–22.
- Luchins DJ. 1984. Carbamazepine in violent non-epileptic schizophrenics. *Psychopharmacol Bull* 20:569–571.
- Maayan N, Soares-Weiser K, Xia J, Adams CE. 2011. Antipsychotic combinations for schizophrenia. *The Cochrane Library*. *Cochrane Database of Systematic Reviews* 2011, Issue 2. Art. No.: CD009005. DOI: 10.1002/14651858.CD009005
- Marder S. 1995. Defining and characterising treatment-resistant schizophrenia. *Eur Psychiatry* 10(Suppl 1):7–10s.
- Marder SR, Davis JM, Chouinard G. 1997. The effects of risperidone on the five dimensions of schizophrenia derived by factor analysis: combined results of the North American trials. *J Clin Psychiatry* 58:538–546.

- Marder SR, Essock SM, Miller AL, Buchanan RW, Casey DE, Davis JM, et al. 2004. Physical health monitoring of patients with schizophrenia. *Am J Psychiatry* 161:1334–1349.
- Marder SR, Kramer M, Ford L, Eerdeken E, Lim P, Eerdeken M, et al. 2007a. Efficacy and safety of paliperidone extended-release tablets: results of a 6-week, randomized, placebo-controlled study. *Biol Psychiatry* 62:1363–1370.
- Marder SR, McQuade RD, Stock E, Kaplita S, Marcus R, Safferman AZ, et al. 2003. Aripiprazole in the treatment of schizophrenia: safety and tolerability in short-term, placebo-controlled trials. *Schizophr Res* 61:123–136.
- Marder SR, Meibach RC. 1994. Risperidone in the treatment of schizophrenia. *Am J Psychiatry* 151:825–835.
- Marder SR, West B, Lau GS, Pultz JA, Pikalov A, Marcus RN, et al. 2007b. Aripiprazole effects in patients with acute schizophrenia experiencing higher or lower agitation: a post hoc analysis of 4 randomized, placebo-controlled clinical trials. *J Clin Psychiatry* 68:662–668.
- Marshall M, Lewis S, Lockwood A, Drake R, Jones P, Croudace T. 2005. Association between duration of untreated psychosis and outcome in cohorts of first-episode patients: a systematic review. *Arch Gen Psychiatry* 62:975–983.
- Martin J, Gomez JC, Garcia-Bernardo E, Cuesta M, Alvarez E, Gurpegui M. 1997. Olanzapine in treatment-refractory schizophrenia: results of an open-label study. The Spanish Group for the Study of Olanzapine in Treatment-Refractory Schizophrenia. *J Clin Psychiatry* 58:479–483.
- Martin S, Ljo H, Peuskens J, Thirumalai S, Giudicelli A, Fleurot O, et al. 2002. A double-blind, randomised comparative trial of amisulpride versus olanzapine in the treatment of schizophrenia: short-term results at two months. *Curr Med Res Opin* 18:355–362.
- Matheson SL, Green MJ, Loo C, Carr VJ. 2010. Quality assessment and comparison of evidence for electroconvulsive therapy and repetitive transcranial magnetic stimulation for schizophrenia: a systematic meta-review. *Schizophr Res* 118:201–210.
- Mauri MC, Colasanti A, Rossattini M, Moliterno D, Baldi ML, Papa P. 2006. A single-blind, randomized comparison of olanzapine at a starting dose of 5 mg versus 20 mg in acute schizophrenia. *Clin Neuropharmacol* 29:126–131.
- McCue RE, Waheed R, Urcuyo L, Orendain G, Joseph MD, Charles R, et al. 2006. Comparative effectiveness of second-generation antipsychotics and haloperidol in acute schizophrenia. *Br J Psychiatry* 189:433–440.
- McEvoy JP, Daniel DG, Carson WH, Jr., McQuade RD, Marcus RN. 2007. A randomized, double-blind, placebo-controlled, study of the efficacy and safety of aripiprazole 10, 15 or 20 mg/day for the treatment of patients with acute exacerbations of schizophrenia. *J Psychiatr Res* 41:895–905.
- McEvoy JP, Hogarty GE, Steingard S. 1991. Optimal dose of neuroleptic in acute schizophrenia. A controlled study of the neuroleptic threshold and higher haloperidol dose. *Arch Gen Psychiatry* 48:739–745.
- McEvoy JP, Lieberman JA, Stroup TS, Davis SM, Meltzer HY, Rosenheck RA, et al. 2006. Effectiveness of clozapine versus olanzapine, quetiapine, and risperidone in patients with chronic schizophrenia who did not respond to prior atypical antipsychotic treatment. *Am J Psychiatry* 163:600–610.
- McIlwain ME, Harrison J, Wheeler AJ, Russell BR. 2011. Pharmacotherapy for treatment-resistant schizophrenia. *Neuropsychiatr Dis Treat* 7:135–149.
- Meltzer HY. 1990. Defining treatment refractoriness in schizophrenia. *Schizophr Bull* 16:563–565.
- Meltzer HY, Bastani B, Kwon KY, Ramirez LF, Burnett S, Sharpe J. 1989. A prospective study of clozapine in treatment-resistant schizophrenic patients. I. Preliminary report. *Psychopharmacology (Berlin)* 99(Suppl):S68–72.
- Meltzer HY, Bobo WV. 2006. Interpreting the efficacy findings in the CATIE study: what clinicians should know. *CNS Spectr* 11:14–24.
- Meltzer HY, Bobo WV, Nuamah IF, Lane R, Hough D, Kramer M, et al. 2008a. Efficacy and tolerability of oral paliperidone extended-release tablets in the treatment of acute schizophrenia: pooled data from three 6-week, placebo-controlled studies. *J Clin Psychiatry* 69:817–829.
- Meltzer HY, Bobo WV, Roy A, Jayathilake K, Chen Y, Ertugrul A, et al. 2008b. A randomized, double-blind comparison of clozapine and high-dose olanzapine in treatment-resistant patients with schizophrenia. *J Clin Psychiatry* 69:274–285.
- Meltzer HY, Cucchiari J, Silva R, Ogasa M, Phillips D, Xu J, et al. 2011. Lurasidone in the treatment of schizophrenia: a randomized, double-blind, placebo- and olanzapine-controlled study. *Am J Psychiatry* 168:957–967.

- Merlo MC, Hofer H, Gekle W, Berger G, Ventura J, Panhuber I, et al. 2002. Risperidone, 2 mg/day vs. 4 mg/day, in first-episode, acutely psychotic patients: treatment efficacy and effects on fine motor functioning. *J Clin Psychiatry* 63:885–891.
- Meyer-Lindenberg A, Gruppe H, Bauer U, Lis S, Krieger S, Gallhofer B. 1997. Improvement of cognitive function in schizophrenic patients receiving clozapine or zotepine: results from a double-blind study. *Pharmacopsychiatry* 30:35–42.
- Meyer-Massetti C, Cheng CM, Sharpe BA, Meier CR, Guglielmo BJ. 2010. The FDA extended warning for intravenous haloperidol and torsades de pointes: how should institutions respond? *J Hosp Med* 5:E8–16.
- Miller AL, Craig CS. 2002. Combination antipsychotics: pros, cons, and questions. *Schizophr Bull* 28:105–109.
- Miller DD, Caroff SN, Davis SM, Rosenheck RA, McEvoy JP, Saltz BL, et al. 2008. Extrapyramidal side-effects of antipsychotics in a randomised trial. *Br J Psychiatry* 193: 279–288.
- Moller HJ. 2001. Amisulpride: efficacy in the management of chronic patients with predominant negative symptoms of schizophrenia. *Eur Arch Psychiatry Clin Neurosci* 251: 217–224.
- Moller HJ. 2003. Management of the negative symptoms of schizophrenia: new treatment options. *CNS Drugs* 17:793–823. Moller HJ. 2008. Do effectiveness (“real world”) studies on antipsychotics tell us the real truth? *Eur Arch Psychiatry Clin Neurosci* 258:257–270.
- Moller HJ, Boyer P, Fleurot O, Rein W. 1997. Improvement of acute exacerbations of schizophrenia with amisulpride: a comparison with haloperidol. PROD-ASLP Study Group. *Psychopharmacology (Berlin)* 132:396–401.
- Moller HJ, Muller H, Borison RL, Schooler NR, Chouinard G. 1995. A path-analytical approach to differentiate between direct and indirect drug effects on negative symptoms in schizophrenic patients. A re-evaluation of the North American risperidone study. *Eur Arch Psychiatry Clin Neurosci* 245:45–49.
- Moller HJ, Riedel M, Jager M, Wickelmaier F, Maier W, Kuhn KU, et al. 2008. Short-term treatment with risperidone or haloperidol in first-episode schizophrenia: 8-week results of a randomized controlled trial within the German Research Network on Schizophrenia. *Int J Neuropsychopharmacol* 11:985–997.
- Moller HJ, Riedel M, Muller N, Fischer W, Kohnen R. 2004. Zotepine versus placebo in the treatment of schizophrenic patients with stable primary negative symptoms: a randomized double-blind multicenter trial. *Pharmacopsychiatry* 37: 270–278.
- Moore TA, Buchanan RW, Buckley PF, Chiles JA, Conley RR, Crismon ML, et al. 2007. The Texas Medication Algorithm Project antipsychotic algorithm for schizophrenia: 2006 update. *J Clin Psychiatry* 68:1751–1762.
- Morinigo A, Martin J, Gonzalez S, Mateo I. 1989. Treatment of resistant schizophrenia with valproate and neuroleptic drugs. *Hillside J Clin Psychiatry* 11:199–207.
- Mortimer A, Martin S, Loo H, Peuskens J. 2004. A double-blind, randomized comparative trial of amisulpride versus olanzapine for 6 months in the treatment of schizophrenia. *Int Clin Psychopharmacol* 19:63–69.
- Mortimer AM, Joyce E, Balasubramaniam K, Choudhary PC, Saleem PT. 2007. Treatment with amisulpride and olanzapine improve neuropsychological function in schizophrenia. *Hum Psychopharmacol* 22:445–454.
- Mula M, Trimble MR, Lhatoo SD, Sander JW. 2003. Topiramate and psychiatric adverse events in patients with epilepsy. *Epilepsia* 44:659–663.
- Mullen J, Jibson MD, Sweitzer D. 2001. A comparison of the relative safety, efficacy, and tolerability of quetiapine and risperidone in outpatients with schizophrenia and other psychotic disorders: the quetiapine experience with safety and tolerability (QUEST) study. *Clin Ther* 23:1839–1854.
- Muller MJ, Wetzel H, Eich FX, Rein W, Puech A, Benkert O. 2002. Dose-related effects of amisulpride on five dimensions of psychopathology in patients with acute exacerbation of schizophrenia. *J Clin Psychopharmacol* 22:554–560.
- Muscattello MR, Bruno A, Pandolfo G, Mico U, Bellinghieri PM, Scimeca G, et al. 2011. Topiramate augmentation of clozapine in schizophrenia: a double-blind, placebo-controlled study. *J Psychopharmacol* 25:667–674.
- Naber D, Lambert M. 2009. The CATIE and CUtLASS studies in schizophrenia: results and implications for clinicians. *CNS Drugs* 23:649–659.
- Nair NP. 1998. Therapeutic equivalence of risperidone given once daily and twice daily in patients with schizophrenia. The Risperidone Study Group. *J Clin Psychopharmacol* 18:103–110.
- Nakamura M, Ogasa M, Guarino J, Phillips D, Severs J, Cucchiari J, et al. 2009. Lurasidone in the treatment of acute schizophrenia: a double-blind, placebo-controlled trial. *J Clin Psychiatry* 70:829–836.
- Newcomer JW. 2005. Second-generation (atypical) antipsychotics and metabolic effects: a comprehensive literature review. *CNS Drugs* 19(Suppl 1):1–93.

- Newcomer JW. 2007. Metabolic syndrome and mental illness. *Am J Manag Care* 13:S170–177.
- Newcomer JW, Ratner RE, Eriksson JW, Emsley R, Meulien D, Miller F, et al. 2009. A 24-week, multicenter, open-label, randomized study to compare changes in glucose metabolism in patients with schizophrenia receiving treatment with olanzapine, quetiapine, or risperidone. *J Clin Psychiatry* 70:487–499.
- NICE. 2002. National Institute of Excellence. Guidance on the use of newer (atypical) antipsychotic drugs for the treatment of schizophrenia. Technology Appraisal Guidance No. 54. www.nice.org.uk.
- NICE. 2010. The NICE Guideline on core interventions in the treatment and management of schizophrenia in adults in primary and secondary care (updated edition). London: The British Psychological Society.
- Nielsen J, Graff C, Kanters JK, Toft E, Taylor D, Meyer JM. 2010. Assessing QT interval prolongation and its associated risks with antipsychotics. *CNS drugs* 1:25:473–90.
- Nisijima K, Shioda K, Iwamura T. 2007. Neuroleptic malignant syndrome and serotonin syndrome. *Prog Brain Res* 162:81–104.
- Nussbaum A, Stroup TS. 2008. Paliperidone for schizophrenia. *Cochrane Database Syst Rev*: CD006369.
- Okuma T, Yamashita I, Takahashi R, Itoh H, Otsuki S, Watanabe S, et al. 1989. A double-blind study of adjunctive carbamazepine versus placebo on excited states of schizophrenic and schizoaffective disorders. *Acta Psychiatr Scand* 80:250–259.
- Olie JP, Spina E, Murray S, Yang R. 2006. Ziprasidone and amisulpride effectively treat negative symptoms of schizophrenia: results of a 12-week, double-blind study. *Int Clin Psychopharmacol* 21:143–151.
- Oosthuizen P, Emsley R, Jadri Turner H, Keyter N. 2004. A randomized, controlled comparison of the efficacy and tolerability of low and high doses of haloperidol in the treatment of first-episode psychosis. *Int J Neuropsychopharmacol* 7: 125–131.
- Oosthuizen P, Emsley RA, Turner J, Keyter N. 2001. Determining the optimal dose of haloperidol in first-episode psychosis. *J Psychopharmacol* 15:251–255.
- Oosthuizen PP, Emsley RA, Maritz JS, Turner JA, Keyter N. 2003. Incidence of tardive dyskinesia in first-episode psychosis patients treated with low-dose haloperidol. *J Clin Psychiatry* 64:1075–1080.
- Osser DN, Sigadel R. 2001. Short-term inpatient pharmacotherapy of schizophrenia. *Harv Rev Psychiatry* 9:89–104.
- Owen RT. 2010. Olanzapine: a review of rapid and long-acting parenteral formulations. *Drugs Today (Barc)* 46:173–181.
- Pacia SV, Devinsky O. 1994. Clozapine-related seizures: experience with 5,629 patients. *Neurology* 44:2247–2249.
- Paillere-Martinot ML, Lecrubier Y, Martinot JL, Aubin F. 1995. Improvement of some schizophrenic deficit symptoms with low doses of amisulpride. *Am J Psychiatry* 152:130–134.
- Pajonk FG, Schreiner A, Peters S, Rettig K, Degner D, Ruther E. 2005. Risperidone: an open-label, observational study of the efficacy, tolerability, and prescribing behavior in acutely exacerbated patients with schizophrenia. *J Clin Psychopharmacol* 25:293–300.
- Pandurangi AK, Dalkilic A. 2008. Polypharmacy with second-generation antipsychotics: a review of evidence. *J Psychiatr Pract* 14:345–367.
- Pato CN, Wolkowitz OM, Rapaport M, Schulz SC, Pickar D. 1989. Benzodiazepine augmentation of neuroleptic treatment in patients with schizophrenia. *Psychopharmacol Bull* 25: 263–266.
- Paton C, Barnes TR, Cavanagh MR, Taylor D, Lelliott P. 2008. High-dose and combination antipsychotic prescribing in acute adult wards in the UK: the challenges posed by p.r.n. prescribing. *Br J Psychiatry* 192:435–439.
- Patrick DL, Burns T, Morosini P, Gagnon DD, Rothman M, Adriaenssen I. 2010. Measuring social functioning with the personal and social performance scale in patients with acute symptoms of schizophrenia: interpretation of results of a pooled analysis of three Phase III trials of paliperidone extended-release tablets. *Clin Ther* 32:275–292.
- Peloner AL, Levenson JL, Pandurangi AK. 1998. Neuroleptic malignant syndrome: a review. *Psychiatr Serv* 49:1163–1172.
- Perez V, Canas F, Tafalla M. 2008. A 12-month, open-label, comparative study of quetiapine and risperidone in the acute and long-term treatment of schizophrenia. *Int Clin Psychopharmacol* 23:138–149.
- Perkins D, Lieberman J, Gu H, Tohen M, McEvoy J, Green A, et al. 2004. Predictors of antipsychotic treatment response in patients with first-episode schizophrenia, schizoaffective and schizopreniform disorders. *Br J Psychiatry* 185:18–24.

- Perkins DO, Gu H, Boteva K, Lieberman JA. 2005. Relationship between duration of untreated psychosis and outcome in first-episode schizophrenia: a critical review and meta-analysis. *Am J Psychiatry* 162:1785–1804.
- Perry PJ, Miller DD, Arndt SV, Cadoret RJ. 1991. Clozapine and norclozapine plasma concentrations and clinical response of treatment-refractory schizophrenic patients. *Am J Psychiatry* 148:231–235.
- Petit M, Raniwalla J, Tweed J, Leutenegger E, Dollfus S, Kelly F. 1996. A comparison of an atypical and typical antipsychotic, zotepine versus haloperidol in patients with acute exacerbation of schizophrenia: a parallel-group double-blind trial. *Psychop-armacol Bull* 32:81–87.
- Peuskens J. 1995. Risperidone in the treatment of patients with chronic schizophrenia: a multi-national, multi-centre, double-blind, parallel-group study versus haloperidol. Risperidone Study Group. *Br J Psychiatry* 166:712–726; discussion 727–733.
- Peuskens J, Bech P, Moller HJ, Bale R, Fleurot O, Rein W. 1999. Amisulpride vs. risperidone in the treatment of acute exacerbations of schizophrenia. Amisulpride study group. *Psychiatry Res* 88:107–117.
- Peuskens J, Link CG. 1997. A comparison of quetiapine and chlorpromazine in the treatment of schizophrenia. *Acta Psychiatr Scand* 96:265–273.
- Peyriere H, Roux C, Ferard C, Deleau N, Kreft-Jais C, Hillaire-Buys D, et al. 2009. Antipsychotics-induced ischaemic colitis and gastrointestinal necrosis: a review of the French pharmacovigilance database. *Pharmacoepidemiol Drug Saf* 18:948–955.
- Potkin SG, Bera R, Gulasekaram B, Costa J, Hayes S, Jin Y, et al. 1994. Plasma clozapine concentrations predict clinical response in treatment-resistant schizophrenia. *J Clin Psychiatry* 55(Suppl B):133–136.
- Potkin SG, Cohen M, Panagides J. 2007. Efficacy and tolerability of asenapine in acute schizophrenia: a placebo- and risperidone-controlled trial. *J Clin Psychiatry* 68:1492–1500.
- Potkin SG, Gharabawi GM, Greenspan AJ, Mahmoud R, Kosik-Gonzalez C, Rupnow MF, et al. 2006. A double-blind comparison of risperidone, quetiapine and placebo in patients with schizophrenia experiencing an acute exacerbation requiring hospitalization. *Schizophr Res* 85:254–265.
- Potkin SG, Saha AR, Kujawa MJ, Carson WH, Ali M, Stock E, et al. 2003. Aripiprazole, an antipsychotic with a novel mechanism of action, and risperidone vs placebo in patients with schizophrenia and schizoaffective disorder. *Arch Gen Psychiatry* 60:681–690.
- Potter WZ, Ko GN, Zhang LD, Yan WW. 1989. Clozapine in China: a review and preview of US/PRC collaboration. *Psychopharmacology (Berlin)* 99(Suppl):S87–91.
- Premkumar TS, Pick J. 2006. Lamotrigine for schizophrenia. *Cochrane Database Syst Rev*: CD005962.
- Puech A, Fleurot O, Rein W. 1998. Amisulpride, and atypical antipsychotic, in the treatment of acute episodes of schizophrenia: a dose-ranging study vs. haloperidol. The Amisulpride Study Group. *Acta Psychiatr Scand* 98:65–72.
- RANZCP. 2005. Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for the treatment of schizophrenia and related disorders. *Aust NZ J Psychiatry* 39:1–30.
- Raskin S, Katz G, Zislin Z, Knobler HY, Durst R. 2000. Clozapine and risperidone: combination/augmentation treatment of refractory schizophrenia: a preliminary observation. *Acta Psychiatr Scand* 101:334–336.
- Rathbone J, Variend H, Mehta H. 2008. Cannabis and schizophrenia. *Cochrane Database Syst Rev*: CD004837.
- Ratthahalli RD, Jayaram MB, Smith M. Risperidone versus placebo for schizophrenia. *Cochrane Database Syst Rev* 2010: CD006918.
- Ratthahalli RD, Jayaram MB, Smith M. 2010a. Risperidone versus placebo for schizophrenia. *Schizophr Bull* 36:448–449.
- Ratthahalli RD, Jayaram MB, Smith M. 2010b. Risperidone versus placebo for schizophrenia. *Cochrane Database Syst Rev*: CD006918.
- Reilly JG, Ayis SA, Ferrier IN, Jones SJ, Thomas SH. 2000. QTc-interval abnormalities and psychotropic drug therapy in psychiatric patients. *Lancet* 355:1048–1052.
- Remillard S, Pourcher E, Cohen H. 2008. Long-term effects of risperidone versus haloperidol on verbal memory, attention, and symptomatology in schizophrenia. *J Int Neuropsychol Soc* 14:110–118.
- Remington G, Kapur S, Zipursky RB. 1998. Pharmacotherapy of first-episode schizophrenia. *Br J Psychiatry Suppl* 172:66–70.
- Rettenbacher MA, Hofer A, Ebenbichler C, Baumgartner S, Edlinger M, Engl J, et al. 2010. Prolactin levels and sexual adverse effects in patients with schizophrenia during antipsychotic treatment. *J Clin Psychopharmacol* 30:711–715.

- Revicki DA, Genduso LA, Hamilton SH, Ganoczy D, Beasley CM Jr. 1999. Olanzapine versus haloperidol in the treatment of schizophrenia and other psychotic disorders: quality of life and clinical outcomes of a randomized clinical trial. *Qual Life Res* 8:417–426.
- Riedel M, Muller N, Strassnig M, Spellmann I, Engel RR, Musil R, et al. 2005. Quetiapine has equivalent efficacy and superior tolerability to risperidone in the treatment of schizophrenia with predominantly negative symptoms. *Eur Arch Psychiatry Clin Neurosci* 255:432–437.
- Riedel M, Schennach-Wolff R, Musil R, Dehning S, Cerovecki A, Opgen-Rhein M, et al. 2010. Neurocognition and its influencing factors in the treatment of schizophrenia-effects of aripiprazole, olanzapine, quetiapine and risperidone. *Hum Psychopharmacol* 25:116–125.
- Robinson DG, Woerner MG, Napolitano B, Patel RC, Sevy SM, Gunduz-Bruce H, et al. 2006. Randomized comparison of olanzapine versus risperidone for the treatment of first-episode schizophrenia: 4-month outcomes. *Am J Psychiatry* 163:2096–2102.
- Rosenheck R, Dunn L, Peszke M, Cramer J, Xu W, Thomas J, et al. 1999. Impact of clozapine on negative symptoms and on the deficit syndrome in refractory schizophrenia. Department of Veterans Affairs Cooperative Study Group on Clozapine in Refractory Schizophrenia. *Am J Psychiatry* 156:88–93.
- Rosenheck R, Perlick D, Bingham S, Liu-Mares W, Collins J, Warren S, et al. 2003. Effectiveness and cost of olanzapine and haloperidol in the treatment of schizophrenia: a randomized controlled trial. *J Am Med Assoc* 290:2693–2702.
- Rosenheck RA, Davis S, Covell N, Essock S, Swartz M, Stroup S, et al. 2009. Does switching to a new antipsychotic improve outcomes? Data from the CATIE Trial. *Schizophr Res* 107:22–29.
- Rosenheck RA, Leslie DL, Sindelar J, Miller EA, Lin H, Stroup TS, et al. 2006. Cost-effectiveness of second-generation antipsychotics and perphenazine in a randomized trial of treatment for chronic schizophrenia. *Am J Psychiatry* 163:2080–2089.
- Rummel-Kluge C, Komossa K, Schwarz S, Hunger H, Schmid F, Kissling W, et al. 2010a. Second-generation antipsychotic drugs and extrapyramidal side effects: a systematic review and meta-analysis of head-to-head comparisons. *Schizophr Bull.* Epub 2010 May 3
- Rummel-Kluge C, Komossa K, Schwarz S, Hunger H, Schmid F, Lobos CA, et al. 2010b. Head-to-head comparisons of metabolic side effects of second generation antipsychotics in the treatment of schizophrenia: a systematic review and meta-analysis. *Schizophr Res* 123:225–233. Epub 2010 May 3.
- Rummel C, Hamann J, Kissling W, Leucht S. 2003. New generation antipsychotics for first episode schizophrenia. *Cochrane Database Syst Rev*: CD004410.
- Rummel C, Kissling W, Leucht S. 2006. Antidepressants for the negative symptoms of schizophrenia. *Cochrane Database Syst Rev* 3: CD005581.
- Rupprecht R, Soyka M, Grohmann R, Ruther E, Moller HJ. 2004. [Considerations in the combination of clozapine and benzodiazepines]. *Nervenarzt* 75:857–860.
- Ruskin P, Averbukh I, Belmaker RH, Dasberg H. 1979. Benzodiazepines in chronic schizophrenia. *Biol Psychiatry* 14:557–558. Ryan MC, Collins P, Thakore JH. 2003. Impaired fasting glucose tolerance in first-episode, drug-naive patients with schizophrenia. *Am J Psychiatry* 160:284–289.
- Ryckmans V, Kahn JP, Modell S, Werner C, McQuade RD, Kerselaers W, et al. 2009. Switching to aripiprazole in outpatients with schizophrenia experiencing insufficient efficacy and/or safety/tolerability issues with risperidone: a randomized, multicentre, open-label study. *Pharmacopsychiatry* 42:114–121.
- Saba G, Dumortier G, Kalalou K, Benadhira R, Degrasat K, Glikman J, et al. 2002. Lamotrigine-clozapine combination in refractory schizophrenia: three cases. *J Neuropsychiatry Clin Neurosci* 14:86.
- Sacchetti E, Galluzzo A, Valsecchi P, Romeo F, Gorini B, Warrington L. 2009. Ziprasidone vs clozapine in schizophrenia patients refractory to multiple antipsychotic treatments: the MOZART study. *Schizophr Res* 113:112–121.
- Sacchetti E, Valsecchi P, Parrinello G. 2008. A randomized, flexible-dose, quasi-naturalistic comparison of quetiapine, risperidone, and olanzapine in the short-term treatment of schizophrenia: the QUERISOLA trial. *Schizophr Res* 98:55–65.
- Sanford M, Scott LJ. 2008. Intramuscular aripiprazole: a review of its use in the management of agitation in schizophrenia and bipolar I disorder. *CNS Drugs* 22:335–352.
- Sanger TM, Lieberman JA, Tohen M, Grundy S, Beasley C, Jr., Tollefson GD. 1999. Olanzapine versus haloperidol treatment in first-episode psychosis. *Am J Psychiatry* 156:79–87.
- Schlösser R, Grunder G, Angheliescu I, Hillert A, Ewald-Grunder S, Hiemke C, et al. 2002. Long-term effects of the substituted benzamide derivative amisulpride on baseline and stimulated prolactin levels. *Neuropsychobiology* 46:33–40.

- Schmidt LG, Schussler G, Kappes CV, Muller-Oerlinghausen B. 1982. [Comparison of higher-dose haloperidol therapy with perazine standard therapy in acute schizophrenic patients]. *Nervenarzt* 53:530–536.
- Schonfeldt-Lecuona C, Wolf RC, Osterfeld ND, Vasic N, Con-nemann BJ, Schmid M, et al. 2009. Pregabalin in the treatment of schizophrenic anxiety. *Pharmacopsychiatry* 42:124–125.
- Schooler N, Rabinowitz J, Davidson M, Emsley R, Harvey PD, Kopala L, et al. 2005. Risperidone and haloperidol in first-episode psychosis: a long-term randomized trial. *Am J Psychiatry* 162:947–953.
- Schulz SC, Thomson R, Brecher M. 2003. The efficacy of quetiapine vs haloperidol and placebo: a meta-analytic study of efficacy. *Schizophr Res* 62:1–12.
- Schwartz TL, Stahl SM. 2011. Treatment strategies for dosing the second generation antipsychotics. *CNS Neurosci Ther* 17:110–117.
- Schwarz C, Volz A, Li C, Leucht S. 2008. Valproate for schizophrenia. *Cochrane Database Syst Rev*: CD004028.
- Sechter D, Peuskens J, Fleurot O, Rein W, Lecrubier Y. 2002. Amisulpride vs. risperidone in chronic schizophrenia: results of a 6-month double-blind study. *Neuropsychopharmacology* 27:1071–1081.
- Shek E, Bardhan S, Cheine MV, Ahonen J, Wahlbeck K. 2010. Beta-blocker supplementation of standard drug treatment for schizophrenia. *Schizophr Bull* 36:1079–1080.
- Sherwood M, Thornton AE, Honer WG. 2006. A meta-analysis of profile and time-course of symptom change in acute schizophrenia treated with atypical antipsychotics. *Int J Neuropsychopharmacol* 9:357–366.
- Shiloh R, Zemishlany Z, Aizenberg D, Radwan M, Schwartz B, Dorfman-Etrog P, et al. 1997. Sulpiride augmentation in people with schizophrenia partially responsive to clozapine. A double-blind, placebo-controlled study. *Br J Psychiatry* 171:569–573.
- Shopsin B, Klein H, Aaronson M, Collora M. 1979. Clozapine, chlorpromazine, and placebo in newly hospitalized, acutely schizophrenic patients: a controlled, double-blind comparison. *Arch Gen Psychiatry* 36:657–664.
- Simhandl C, Meszaros K, Denk E, Thau K, Topitz A. 1996. Adjunctive carbamazepine or lithium carbonate in therapy-resistant chronic schizophrenia. *Can J Psychiatry* 41:317.
- Simpson GM, Glick ID, Weiden PJ, Romano SJ, Siu CO. 2004. Randomized, controlled, double-blind multicenter comparison of the efficacy and tolerability of ziprasidone and olanzapine in acutely ill inpatients with schizophrenia or schizoaffective disorder. *Am J Psychiatry* 161:1837–1847.
- Simpson GM, O’Gorman CJ, Loebel A, Yang R. 2008. Long-term improvement in efficacy and safety after switching to ziprasidone in stable outpatients with schizophrenia. *CNS Spectr* 13:898–905.
- Singh SP, Singh V. 2011. Meta-analysis of the efficacy of adjunctive NMDA receptor modulators in chronic schizophrenia. *CNS Drugs* 25:859–885.
- Singh SP, Singh V, Kar N, Chan K. 2010. Efficacy of antidepressants in treating the negative symptoms of chronic schizophrenia: meta-analysis. *Br J Psychiatry* 197:174–179.
- Siris S, Pollack S, Bermanzohn P, Stronger R. 2000. Adjunctive imipramine for a broader group of post-psychotic depressions in schizophrenia. *Schizophr Res* 44:187–192.
- Sirota P, Pannet I, Koren A, Tchernichovsky E. 2006. Quetiapine versus olanzapine for the treatment of negative symptoms in patients with schizophrenia. *Hum Psychopharmacol* 21:227–234.
- Small JG, Hirsch SR, Arvanitis LA, Miller BG, Link CG. 1997. Quetiapine in patients with schizophrenia. A high- and low- dose double-blind comparison with placebo. Seroquel Study Group. *Arch Gen Psychiatry* 54:549–557.
- Small JG, Kolar MC, Kellams JJ. 2004. Quetiapine in schizophrenia: onset of action within the first week of treatment. *Curr Med Res Opin* 20:1017–1023.
- Smith M, Hopkins D, Peveler RC, Holt RI, Woodward M, Ismail K. 2008. First- v. second-generation antipsychotics and risk for diabetes in schizophrenia: systematic review and meta-analysis. *Br J Psychiatry* 192:406–411.

- Sommer IE, de Witte L, Begemann M, Kahn RS. 2011. Nonsteroidal anti-inflammatory drugs in schizophrenia: ready for practice or a good start? a meta-analysis. *J Clin Psychiatry*. Epub 2011 Dec 13
- Speller JC, Barnes TR, Curson DA, Pantelis C, Alberts JL. 1997. One-year, low-dose neuroleptic study of in-patients with chronic schizophrenia characterised by persistent negative symptoms. Amisulpride v. haloperidol. *Br J Psychiatry* 171:564–568.
- Srisurapanont M, Maneeton B, Maneeton N. 2004. Quetiapine for schizophrenia. *Cochrane Database Syst Rev*: CD000967.
- Stahl SM, Malla A, Newcomer JW, Potkin SG, Weiden PJ, Harvey PD, et al. 2010. A post hoc analysis of negative symptoms and psychosocial function in patients with schizophrenia: a 40-week randomized, double-blind study of ziprasidone versus haloperidol followed by a 3-year double-blind extension trial. *J Clin Psychopharmacol* 30:425–430.
- Steinert T. 2002. *Acta Psychiatr Scand Suppl.* 2002;412:133–41. Steinert T, Baier H, Froscher W, Jandl M. 2011. [Epileptic seizures during treatment with antidepressants and neuroleptics]. *Fortschr Neurol Psychiatr* 79:138–143.
- Stip E, Zhornitsky S, Potvin S, Tourjman V. 2010. Switching from conventional antipsychotics to ziprasidone: a randomized, open-label comparison of regimen strategies. *Prog Neuropsychopharmacol Biol Psychiatry* 34:997–1000.
- Stone CK, Garve DL, Griffith J, Hirschowitz J, Bennett J. 1995. Further evidence of a dose-response threshold for haloperidol in psychosis. *Am J Psychiatry* 152:1210–1212.
- Strawn JR. 2006. Aripiprazole and the neuroleptic malignant syndrome. *Schizophr Res* 85:298–299.
- Strawn JR, Keck PE Jr. 2006. Early bicarbonate loading and dantrolene for ziprasidone/haloperidol-induced neuroleptic malignant syndrome. *J Clin Psychiatry* 67:677.
- Strawn JR, Keck PE Jr, Caroff SN. 2007. Neuroleptic malignant syndrome. *Am J Psychiatry* 164: 870–876.
- Stroup TS, Lieberman JA, McEvoy JP, Davis SM, Swartz MS, Keefe RS, et al. 2009. Results of phase 3 of the CATIE schizophrenia trial. *Schizophr Res* 107:1–12.
- Stroup TS, Lieberman JA, McEvoy JP, Swartz MS, Davis SM, Capuano GA, et al. 2007. Effectiveness of olanzapine, quetiapine, and risperidone in patients with chronic schizophrenia after discontinuing perphenazine: a CATIE study. *Am J Psychiatry* 164:415–427.
- Subramanian S, Rummel-Kluge C, Hunger H, Schmid F, Schwarz S, Kissling W, et al. 2010. Zotepine versus other atypical antipsychotics for schizophrenia. *Cochrane Database Syst Rev*: CD006628.
- Suzuki T, Uchida H, Takeuchi H, Nakajima S, Nomura K, Tanabe A, et al. 2009. Augmentation of atypical antipsychotics with valproic acid. An open-label study for most difficult patients with schizophrenia. *Hum Psychopharmacol* 24:628–638.
- Suzuki T, Uchida H, Tanaka KF, Nomura K, Takano H, Tanabe A, et al. 2004. Revising polypharmacy to a single antipsychotic regimen for patients with chronic schizophrenia. *Int J Neuropsychopharmacol* 7:133–142.
- Suzuki T, Uchida H, Watanabe K, Nakajima S, Nomura K, Takeuchi H, et al. 2008. Effectiveness of antipsychotic polypharmacy for patients with treatment refractory schizophrenia: an open-label trial of olanzapine plus risperidone for those who failed to respond to a sequential treatment with olanzapine, quetiapine and risperidone. *Hum Psychopharmacol* 23:455–463.
- Suzuki T, Uchida H, Watanabe K, Nomura K, Takeuchi H, Tomita M, et al. 2007. How effective is it to sequentially switch among Olanzapine, Quetiapine and Risperidone? A randomized, open-label study of algorithm-based antipsychotic treatment to patients with symptomatic schizophrenia in the real-world clinical setting. *Psychopharmacology (Berlin)* 195:285–295.
- Takahashi H, Oshimo T, Ishigooka J. 2009. Efficacy and tolerability of aripiprazole in first-episode drug-naive patients with schizophrenia: an open-label trial. *Clin Neuropharmacol* 32:149–150.
- Takeuchi H, Suzuki T, Uchida H, Nakajima S, Nomura K, Kikuchi T, et al. 2008. A randomized, open-label comparison of 2 switching strategies to aripiprazole treatment in patients with schizophrenia: add-on, wait, and tapering of previous antipsychotics versus add-on and simultaneous tapering. *J Clin Psychopharmacol* 28:540–543.
- Tandon R, Belmaker RH, Gattaz WF, Lopez-Ibor JJ Jr, Okasha A, Singh B, et al. 2008. World Psychiatric Association Pharmacopsychiatry Section statement on comparative effectiveness of antipsychotics in the treatment of schizophrenia. *Schizophr Res* 100:20–38.
- Tandon R, Marcus RN, Stock EG, Riera LC, Kostic D, Pans M, et al. 2006. A prospective, multicenter, randomized, parallel-group, open-label study of aripiprazole in the management of patients with schizophrenia or schizoaffective disorder in general psychiatric practice: Broad Effectiveness Trial With Aripiprazole (BETA). *Schizophr Res* 84:77–89.
- Tharyan P, Adams CE. 2005. Electroconvulsive therapy for schizophrenia. *Cochrane Database Syst Rev*: CD000076.

- Thibaut F, Colonna L. 1993a. [Anti-aggressive effect of beta- blockers]. *Encephale* 19:263–267.
- Thibaut F, Colonna L. 1993b. [Carbamazepine and aggressive behavior: a review]. *Encephale* 19:651–656.
- Thomas SH, Drici MD, Hall GC, Crocq MA, Everitt B, Lader MH, et al. 2010. Safety of sertindole versus risperidone in schizophrenia: principal results of the sertindole cohort prospective study (SCoP). *Acta Psychiatr Scand* 122:345–355.
- Tiihonen J, Hallikainen T, Ryyanen OP, Repo-Tiihonen E, Koti-lainen I, Eronen M, et al. 2003. Lamotrigine in treatment-resistant schizophrenia: a randomized placebo-controlled crossover trial. *Biol Psychiatry* 54:1241–1248.
- Tiihonen J, Halonen P, Wahlbeck K, Repo-Tiihonen E, Hyvarinen S, Eronen M, et al. 2005. Topiramate add-on in treatment-resistant schizophrenia: a randomized, double-blind, placebo-controlled, crossover trial. *J Clin Psychiatry* 66:1012–1015.
- Tiihonen J, Wahlbeck K, Kiviniemi V. 2009. The efficacy of lamotrigine in clozapine-resistant schizophrenia: a systematic review and meta-analysis. *Schizophr Res* 109:10–14.
- Tollefson GD, Beasley CM Jr, Tran PV, Street JS, Krueger JA, Tamura RN, et al. 1997. Olanzapine versus haloperidol in the treatment of schizophrenia and schizoaffective and schizopreniform disorders: results of an international collaborative trial. *Am J Psychiatry* 154:457–465.
- Tollefson GD, Birkett MA, Kiesler GM, Wood AJ. 2001. Double-blind comparison of olanzapine versus clozapine in schizophrenic patients clinically eligible for treatment with clozapine. *Biol Psychiatry* 49:52–63.
- Tollefson GD, Sanger TM. 1997. Negative symptoms: a path analytic approach to a double-blind, placebo- and haloperidol-controlled clinical trial with olanzapine. *Am J Psychiatry* 154:466–474.
- Tran-Johnson TK, Sack DA, Marcus RN, Auby P, McQuade RD, Oren DA. 2007. Efficacy and safety of intramuscular aripiprazole in patients with acute agitation: a randomized, double-blind, placebo-controlled trial. *J Clin Psychiatry* 68:111–119.
- Tran PV, Hamilton SH, Kuntz AJ, Potvin JH, Andersen SW, Beasley C Jr, et al. 1997. Double-blind comparison of olanzapine versus risperidone in the treatment of schizophrenia and other psychotic disorders. *J Clin Psychopharmacol* 17:407–418.
- TREC. 2003. Rapid tranquillisation for agitated patients in emergency psychiatric rooms: a randomised trial of midazolam versus haloperidol plus promethazine. *Br Med J* 327:708–713.
- Tregellas JR, Tanabe J, Rojas DC, Shatti S, Olincy A, Johnson L, et al. 2011. Effects of an alpha 7-nicotinic agonist on default network activity in schizophrenia. *Biol Psychiatry* 69:7–11.
- Trollor JN, Chen X, Sachdev PS. 2009. Neuroleptic malignant syndrome associated with atypical antipsychotic drugs. *CNS Drugs* 23:477–492.
- Tuominen HJ, Tiihonen J, Wahlbeck K. 2006. Glutamatergic drugs for schizophrenia. *Cochrane Database Syst Rev*: CD003730.
- Turkoz I, Bossie CA, Dirks B, Canuso CM. 2008. Direct and indirect effects of paliperidone extended-release tablets on negative symptoms of schizophrenia. *Neuropsychiatr Dis Treat* 4:949–958.
- Turrone P, Kapur S, Seeman MV, Flint AJ. 2002. Elevation of prolactin levels by atypical antipsychotics. *Am J Psychiatry* 159:133–135.
- Ungvari GS, Chiu HF, Chow LY, Lau BS, Tang WK. 1999. Lorazepam for chronic catatonia: a randomized, double-blind, placebo-controlled cross-over study. *Psychopharmacology (Berlin)* 142:393–398.
- Ungvari GS, Leung HC, Lee TS. 1994. Benzodiazepines and the psychopathology of catatonia. *Pharmacopsychiatry* 27:242–245.
- van Kammen DP, McEvoy JP, Targum SD, Kardatzke D, Seebree TB. 1996. A randomized, controlled, dose-ranging trial of sertindole in patients with schizophrenia. *Psychopharmacology (Berlin)* 124:168–175.
- VanderZwaag C, McGee M, McEvoy JP, Freudenreich O, Wilson WH, Cooper TB. 1996. Response of patients with treatment-refractory schizophrenia to clozapine within three serum level ranges. *Am J Psychiatry* 153:1579–1584.
- Velligan DI, Newcomer J, Pultz J, Csernansky J, Hoff AL, Mahurin R, et al. 2002. Does cognitive function improve with quetiapine in comparison to haloperidol? *Schizophr Res* 53:239–248.
- Villari V, Rocca P, Fonzo V, Montemagni C, Pandullo P, Bogetto F. 2008. Oral risperidone, olanzapine and quetiapine versus haloperidol in psychotic agitation. *Prog Neuropsychopharmacol Biol Psychiatry* 32:405–413.
- Volavka J, Cooper TB, Czobor P, Lindenmayer JP, Citrome LL, Mohr P, et al. 2000. High-dose treatment with haloperidol: the effect of dose reduction. *J Clin Psychopharmacol* 20:252–256.

- Volavka J, Czobor P, Citrome L, McQuade RD, Carson WH, Kostic D, et al. 2005. Efficacy of aripiprazole against hostility in schizophrenia and schizoaffective disorder: data from 5 double-blind studies. *J Clin Psychiatry* 66:1362–1366.
- Volavka J, Czobor P, Derks EM, Bitter I, Libiger J, Kahn RS, et al. 2011. Efficacy of antipsychotic drugs against hostility in the European First-Episode Schizophrenia Trial (EUFEST). *J Clin Psychiatry* 72:955–961.
- Volavka J, Czobor P, Sheitman B, Lindenmayer JP, Citrome L, McEvoy JP, et al. 2002. Clozapine, olanzapine, risperidone, and haloperidol in the treatment of patients with chronic schizophrenia and schizoaffective disorder. *Am J Psychiatry* 159:255–262.
- Wagner M, Quednow BB, Westheide J, Schlaepfer TE, Maier W, Kuhn KU. 2005. Cognitive improvement in schizophrenic patients does not require a serotonergic mechanism: randomized controlled trial of olanzapine vs amisulpride. *Neuropsychopharmacology* 30:381–390.
- Wagstaff AJ, Easton J, Scott LJ. 2005. Intramuscular olanzapine: a review of its use in the management of acute agitation. *CNS Drugs* 19:147–164.
- Wahlbeck K, Cheine M, Essali A, Adams C. 1999. Evidence of clozapine's effectiveness in schizophrenia: a systematic review and meta-analysis of randomized trials. *Am J Psychiatry* 156:990–999.
- Wahlbeck K, Cheine M, Tuisku K, Ahokas A, Joffe G, Rimon R. 2000. Risperidone versus clozapine in treatment-resistant schizophrenia: a randomized pilot study. *Prog Neuropsychopharmacol Biol Psychiatry* 24:911–922.
- Waraich PS, Adams CE, Roque M, Hamill KM, Marti J. 2002. Haloperidol dose for the acute phase of schizophrenia. *Cochrane Database Syst Rev*: CD001951.
- Wassef AA, Dott SG, Harris A, Brown A, O'Boyle M, Meyer WJ 3rd, et al. 2000. Randomized, placebo-controlled pilot study of divalproex sodium in the treatment of acute exacerbations of chronic schizophrenia. *J Clin Psychopharmacol* 20:357–361.
- Weiden PJ, Simpson GM, Potkin SG, O'Sullivan RL. 2003. Effectiveness of switching to ziprasidone for stable but symptomatic outpatients with schizophrenia. *J Clin Psychiatry* 64:580–588.
- Weiner E, Conley RR, Ball MP, Feldman S, Gold JM, Kelly DL, et al. 2010. Adjunctive risperidone for partially responsive people with schizophrenia treated with clozapine. *Neuropsychopharmacology* 35:2274–2283.
- Wetzel H, Grunder G, Hillert A, Philipp M, Gattaz WF, Sauer H, et al. 1998. Amisulpride versus flupentixol in schizophrenia with predominantly positive symptomatology – a double-blind controlled study comparing a selective D2-like antagonist to a mixed D1-/D2-like antagonist. The Amisulpride Study Group. *Psychopharmacology (Berlin)* 137:223–232.
- Wetzel H, von Bardeleben U, Holsboer F, Benkert O. 1991. [Zotepine versus perazine in patients with paranoid schizophrenia: a double-blind controlled trial of its effectiveness]. *Fortschr Neurol Psychiatr* 59(Suppl 1):23–29.
- Wirshing DA, Marshall BD Jr, Green MF, Mintz J, Marder SR, Wirshing WC. 1999. Risperidone in treatment-refractory schizophrenia. *Am J Psychiatry* 156:1374–1379.
- Wolf J, Janssen F, Lublin H, Salokangas RK, Allain H, Smeraldi E, et al. 2007. A prospective, multicentre, open-label study of aripiprazole in the management of patients with schizophrenia in psychiatric practice in Europe: Broad Effectiveness Trial with Aripiprazole in Europe (EU-BETA). *Curr Med Res Opin* 23:2313–2323.
- Wolff-Menzler C, Hasan A, Malchow B, Falkai P, Wobrock T. 2010. Combination therapy in the treatment of schizophrenia. *Pharmacopsychiatry* 43:122–129.
- Wolkowitz OM, Pickar D. 1991. Benzodiazepines in the treatment of schizophrenia: a review and reappraisal. *Am J Psychiatry* 148:714–726.
- Wolkowitz OM, Turetsky N, Reus VI, Hargreaves WA. 1992. Benzodiazepine augmentation of neuroleptics in treatment-resistant schizophrenia. *Psychopharmacol Bull* 28:291–295.
- Woodward ND, Purdon SE, Meltzer HY, Zald DH. 2007. A meta-analysis of cognitive change with haloperidol in clinical trials of atypical antipsychotics: dose effects and comparison to practice effects. *Schizophr Res* 89:211–224.
- Wright P, Birkett M, David SR, Meehan K, Ferchland I, Alaka KJ, et al. 2001. Double-blind, placebo-controlled comparison of intramuscular olanzapine and intramuscular haloperidol in the treatment of acute agitation in schizophrenia. *Am J Psychiatry* 158:1149–1151.
- Wu RR, Zhao JP, Liu ZN, Zhai JG, Guo XF, Guo WB, et al. 2006. Effects of typical and atypical antipsychotics on glucose-insulin homeostasis and lipid metabolism in first-episode schizophrenia. *Psychopharmacology (Berlin)* 186:572–578.
- Xiang YT, Wang CY, Si TM, Lee EH, He YL, Ungvari GS, et al. 2011. Clozapine use in schizophrenia: findings of the Research on Asia Psychotropic Prescription (REAP) studies from 2001 to 2009. *Aust NZ J Psychiatry* 45:968–975.

- Zareba W, Lin DA. 2003. Antipsychotic drugs and QT interval prolongation. *Psychiatr Q* 74:291–306.
- Zervas IM, Theleritis C, Soldatos CR. 2011. Using ECT in schizophrenia: A review from a clinical perspective. *World J Biol Psychiatry*.
- Zhang XY, Zhou DF, Cao LY, Zhang PY, Wu GY, Shen YC. 2001. Risperidone versus haloperidol in the treatment of acute exacerbations of chronic inpatients with schizophrenia: a randomized double-blind study. *Int Clin Psychopharmacol* 16:325–330.
- Zhong KX, Sweitzer DE, Hamer RM, Lieberman JA. 2006. Comparison of quetiapine and risperidone in the treatment of schizophrenia: A randomized, double-blind, flexible-dose, 8-week study. *J Clin Psychiatry* 67:1093–1103.
- Ziegenbein M, Callies IT. 2006. Clozapine and ziprasidone: a useful combination in patients with treatment-resistant schizophrenia. *J Neuropsychiatry Clin Neurosci* 18:246–247.
- Zimbroff D, Warrington L, Loebel A, Yang R, Siu C. 2007. Comparison of ziprasidone and aripiprazole in acutely ill patients with schizophrenia or schizoaffective disorder: a randomized, double-blind, 4-week study. *Int Clin Psychopharmacol* 22: 363–370.
- Zimbroff DL, Kane JM, Tamminga CA, Daniel DG, Mack RJ, Wozniak PJ, et al. 1997. Controlled, dose-response study of sertindole and haloperidol in the treatment of schizophrenia.
- Sertindole Study Group. *Am J Psychiatry* 154:782–791. Zipursky RB, Gu H, Green AI, Perkins DO, Tohen MF, McEvoy JP, et al. 2005. Course and predictors of weight gain in people with first-episode psychosis treated with olanzapine or haloperidol. *Br J Psychiatry* 187:537–543.
- Zoccali R, Muscatello MR, Bruno A, Cambria R, Mico U, Spina E, et al. 2007. The effect of lamotrigine augmentation of clozapine in a sample of treatment-resistant schizophrenic patients: a double-blind, placebo-controlled study. *Schizophr Res* 93:109–116.

#